



Logan Smith  
October 08, 2025 1:35 PM



Logan Smith  
October 08, 2025 1:35 PM

Johns Manville Polyiso Continuous Insulation (CIS) is specified by the local building code with the use of a suitable thermal barrier.

**CODE COMPLIANCE**  
 ICC-ESR-3389, CCIMC 13104.1  
 AP Foil-Faced Polyiso Continuous Insulation complies with the following standards and model codes when properly installed:

Seal and Insulate with ENERGY STAR

**WARNING:** Johns Manville AP Foil-Faced Polyiso Continuous Insulation is combustible and shall only be used in accordance with the applicable code classification and respect to flame spread classification when required.

**PRECAUCION:** El aislamiento Johns Manville AP Foil-Faced Polyiso Continuous Insulation es combustible y debe ser utilizado de acuerdo con la clasificación de resistencia al fuego y clasificación de propagación de la llama cuando se requiera.

RSI-Value ("K·m <sup>2</sup> /W)	Design LTR ("K·m <sup>2</sup> /W)
0.48	0.48
0.62	
0.88	
1.06	
1.32	
1.63	

Thickness (in)	R-Value (ft <sup>2</sup> ·°F·h/BTU)	Thickness (mm)	RSI-Value ("K·m <sup>2</sup> /W)	Design LTR ("K·m <sup>2</sup> /W)
0.50	2.7	13	0.48	0.48
0.62	3.5	16	0.62	0.61
0.75	5.0	19	0.88	0.83
1.00	6.0	25	1.06	1.02
1.20	7.5	31	1.32	1.26
1.50	9.3	38	1.63	1.57
1.65	10	42	1.82	1.74

1	2
3	4
5	6
7	8



Johns Manville Insulation  
 Denver, CO 80202 • 1-800-554-3103  
 Johns Manville. All Rights Reserved.

Logan Smith  
 October 08, 2025 1:35 PM



Logan Smith

October 08, 2025 1:36 PM



R-Value (ft <sup>2</sup> ·h·BTU)
2.7
5.0
7.5
9.9
10

Seal and  
with EY STAR

**CODE COMPLIANCE**  
ICE-ESR-3598, CCMC 13104-L  
AP Foil Faced Polyiso Continuous Insulation complies with the following code requirements:  
1. ICC-ES ESR-3598, CCMC 13104-L  
2. CCMC 13104-L, Part 1, Chapter 1

**WARNING:** Johns Manville AP Foil Faced Polyiso Continuous Insulation is combustible and shall only be used as specified by the local building code with respect to flame spread classification and to the use of a suitable thermal barrier when required.  
**PRECAUCION:** El recubrimiento Johns Manville AP es combustible y debe ser usado de acuerdo con lo especificado en el código de construcción local con respecto a la clasificación de la propagación de flama y al uso de barreras térmicas cuando se requiera.

Logan Smith  
October 08, 2025 1:36 PM



Logan Smith

October 08, 2025 1:39 PM



Logan Smith  
October 08, 2025 1:39 PM



Logan Smith  
October 08, 2025 1:43 PM

