



County of Lake

Lake County Special Districts  
255 North Forbes Street, Room 309  
Lakeport, CA 95453  
Re: Combo unit  
Allen,

We are pleased to quote you the demo unit **900 Eco 12 yd Truck Mounted Combination Sewer Cleaner**. Pricing is based on Sourcewell contract 101221-SCA.

For details of components, chassis and options selected please the following attachment.

Module price	\$422,358.00
Chassis	\$116,242.00
PDI, DMV	\$3,000.00
Sales tax	<u>\$47,127.50</u>
<b>Total price</b>	<b>\$588,727.50</b>

The prices are valid until November 1st, 2024.

Let me know if you need any additional information and thank you for the opportunity.

Sincerely,

Bianca Sandoval  
U-Rock Utility Equipment Inc.  
Territory Manager



3734 Bradview Drive, Suite A  
Sacramento, CA. 95827  
916-294-7693  
bianca@urockutility.com

**U-Rock Utility Equipment**  
 3734 Bradview Dr # A  
 Sacramento, CA 95827  
 +1 9162947693  
 mpaduveris@urockutility.com  
 www.urockutility.com

## Sourcewell Quote



ADDRESS
County of Lake 255 North Forbes Street, Room 309 Lakeport, CA 95453

SHIP TO
County of Lake 255 North Forbes Street, Room 309 Lakeport, CA 95453

ESTIMATE #	DATE	EXPIRATION DATE
2149	09/30/2024	10/31/2024

**SALES REP**  
 Bianca

ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
WO-9695	DEMO UNIT: 900-ECO 12 Yard Truck Mounted Combination Sewer Cleaner Vacuum System: 8" Vacuum Hose system Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) DUAL VARIABLE VACUUM CONTROL (Located at both hose reel & midship stations) Boom: Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Boom Joystick Control MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control Located at midship control panel) Debris Tank: 12 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDER) Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box)	1	422,358.00	422,358.00T

ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
	<p>DECANT SCREEN ON REAR DOOR  PORT (swing out perforated shield)  Water System:  1300 Gallon Capacity Water Tank  ADDITIONAL 200 GAL (between rails)  Black Duraprolene™ Water Tank  Construction w/ 10 Year Warranty  GIANT TRIPLEX PLUNGER STYLE  WATER PUMP 80 GPM @ 2500 PSI  (includes drain valves)  Cold Weather Recirculation System  2.5" Hydrant Fill system  Air Purge Valve  Variable Volume Delivery  Low Water Warning Light  Analog Pressure Display  Front and Mid Ship Hand Gun Ports  DIGITAL WATER TANK LEVEL GAUGE  WATER TANK LOW LEVEL AUDIBLE  ALARM (level set point is fixed at 150  gallons)  2" Y-STRAINER ON INLET FILL SYSTEM  FILL HOSE STORAGE RACK  STANDARD HYDROEXCAVATION  CLEANING KIT 20 GPM @ 2000 PSI ( 8"  x 6' digging tube, 8gpm rotary digging wand,  10gpm linear nozzle (shipped loose), (2) 5'  Extension wands and automatic reel w/ 75' of  3/8" hose)  LATERAL LINE CLEANING KIT W/  ELECTRONIC VARIABLE REWIND  SPEED (200' X ½" hose with nozzle;  includes addition of auxiliary cleaning circuit  and mounting on front bumper drivers side)  CENTRAL WASHDOWN SYSTEM  (includes 50' of 1/2" hose on a spring  retracting hose reel mounted mid-ship)  Electrical:  NEMA 4 Control Panel  Hour Meter (Blower &amp; Water Pump)  Military Spec. Sealed Switches  WIRELESS REMOTE ALARM (Buzzer  alarm sounds off when truck is taken out of  neutral with remote not in docking station)  ENHANCED VISIBILITY CAMERA  SYSTEM (includes front and rear mounted  camera heads with monitor in cab)  (6) LED FLUSH MOUNTED STROBES:  (2) FRONT, (2) SIDE &amp; (2) REAR FACING  (factory standard)  LED ARROW STICK (factory standard)  LED MANHOLE AREA WORK LIGHT  LED CURBSIDE BODY MOUNTED  WORK LIGHT  LED BOOM MOUNTED WORK LIGHTS  (2) (complete with limb guard)</p>			

ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
	<p>LED REAR MOUNTED WORK LIGHTS  (2) : LOCATED ABOVE REAR DOOR  Truck:  Mounting to Approved Chassis  (1) Alum Toolbox 24"x42"x100" - Behind Cab  LED D.O.T. Approved Lighting  (2) Tow Hooks Front Bumper  REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes)  (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder  LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER  Hose Reel &amp; Hose:  Front Mounted Telescoping &amp; Rotating w/800' 1"Hose CAPACITY  600' X 1" Hose @ 2500PSI  25' Leader Hose  Single Side Controls  AUTOMATIC LEVEL WIND W/ Hydraulic Up/Down Action  DIGITAL "SMART COUNTER" Footage Meter  FOOTAGE METER (mounted on jet hose reel)  Accessories:  (3) 8" x 6' Extension Tube  (1) 8" X 3' Extension Tube  (1) 8" x 6' Crowned Suction Nozzle  (1) 6" x 10' Flat Discharge Hose  (6) Quick Clamps  BB Hose Guide  Tri-Star (chisel point) nozzle  DD (high flow) nozzle  Finned Nozzle extension  Nozzle Rack (Mounted midship toolbox)  25' Fill Hose  Upstream Pulley Guide  Washdown Gun w/ 50' of Hose  Cleaner, Tip, Torch, Small  (1) Hydrant Wrench  (2) Paper Owner's Manual  USB Manual</p>			
<b>80968-00-V-CARB</b>	Freightliner Factory Supplied Truck Chassis	1	116,242.00	116,242.00T
<b>PDI &amp; DMV</b>	Pre Delivery Inspection and DMV	1	3,000.00	3,000.00
Sourcewell Contract # 101221-SCA	<b>SUBTOTAL</b>			541,600.00
	<b>TAX</b>			47,127.50
	<b>TOTAL</b>			<b>\$588,727.50</b>

Accepted By

Accepted Date



1590 Dutch Road | Dixon, IL 61021

p 815.835.5566 | f 815.284.5600

www.SewerEquipment.com

September 5, 2024	PO#	
	Product Class:	
Payment Terms: <b>Net 30</b>	REV:	
Distributor: <b>U-Rock Utility</b>	WO#	<b>9695</b>
Salesman: <b>Bianca Sandoval</b>	<b>DEMO UNIT</b>	
End User: <b>Lake County Special Districts</b>		
Address:		
City, State, Zip:		
Phone:		
Contact: <b>Allen Miller</b>		
Email: <b>allen.miller@lakecountyca.gov</b>		

**900-ECO 12 Yard Truck Mounted Combination Sewer Cleaner**

<p><b>Vacuum System:</b>          4400 CFM Blower          8" Vacuum Hose system          18" Hg vacuum rating          Dual Cyclone Separator          Dual Element 10 Micron Final Filter          Remote Vacuum Relief          Analog Vacuum Display          (6) Tube / Tube Rack</p> <p><b>Boom:</b>          Telescoping Boom System          Telescoping Reach 17' 2" to 27' 2"          Hydraulic Powered Boom          180° Working Radius          Boom Joystick Control</p> <p><b>Debris Tank:</b>          12 Cubic Yard Capacity          Exten Steel Construction          Debris Level Indicator          Hydraulic Dump, 50° Dump Angle (LIFT CYLINDER)          Dual Ported Rear Door w/ Knife Valve          Dump Height 60"          Hydraulic Open/Close/Lock Door</p>	<p><b>Water System:</b>          1300 Gallon Capacity Water Tank          Giant plunger style triplex          65 gpm @ 2000 psi w/ 30 min run dry          Black Duraprolene™ Water Tank Construction          w/ 10 Year Warranty          Cold Weather Recirculation System          2.5" Hydrant Fill system          Air Purge Valve          Variable Volume Delivery          Low Water Warning Light          Analog Pressure Display          Front and Mid Ship Hand Gun Ports</p> <p><b>Electrical:</b>          NEMA 4 Control Panel          Hour Meter (Blower &amp; Water Pump)          Military Spec. Sealed Switches</p> <p><b>Truck:</b>          Mounting to Approved Chassis          (1) Alum Toolbox 24"x42"x100" - Behind Cab          LED D.O.T. Approved Lighting          (2) Tow Hooks Front Bumper</p>	<p><b>Hose Reel &amp; Hose:</b>          Front Mounted Telescoping &amp; Rotating          800' X 1" Hose Capacity          10' Leader Hose          Single Side Controls</p> <p><b>Accessories:</b>          (3) 8" x 6' Extension Tube          (1) 8" X 3' Extension Tube          (1) 8" x 6' Crowned Suction Nozzle          (1) 6" x 10' Flat Discharge Hose          (6) Quick Clamps          BB Hose Guide          Tri-Star (chisel point) nozzle          DD (high flow) nozzle          Finned Nozzle extension          Nozzle Rack (Mounted midship toolbox)          25' Fill Hose          Upstream Pulley Guide          Washdown Gun w/ 50' of Hose          Cleaner, Tip,Torch,Small          (1) Hydrant Wrench          (1) Paper Owner's Manual</p> <p><b>Factory Supplied Chassis: \$116,242.00</b></p>
---	---	--

<b>Demo Unit with Factory Supplied Chassis</b>	<b>\$528,600.00</b>	<b>1</b>	<b>\$528,600.00</b>
--	---------------------	----------	---------------------

Lateral Kit Option and install **\$10,000.00**

ESTIMATED FREIGHT/PDI/DMV: **\$3,000.00**

**ESTIMATED TOTAL: \$541,000.00**

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

**STANDARD OPTIONS:**

**HOSE REEL ASSEMBLY:**

AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION	1	
DIGITAL "SMART COUNTER" FOOTAGE METER	1	
FOOTAGE METER (mounted on jet hose reel)	1	
SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT	600	
25' LEADER HOSE (in lieu of standard 10')	1	

**WATER PUMPS:**

TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2500 PSI (includes drain valves)	1	
---	---	--

FREIGHT AND/OR APPLICABLE TAXES ARE NOT INCLUDED

<b>WATER TANKS:</b>			
ADDITIONAL 200 GALLON DURAPROLENET™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Subject to chassis load capacity specifications.		1	
DIGITAL WATER TANK LEVEL GAUGE		1	
WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons)		1	
2" Y-STRAINER ON INLET FILL SYSTEM		1	
<b>WATER SYSTEM ATTACHMENTS:</b>			
FILL HOSE STORAGE RACK		1	
STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI ( 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose)		1	
LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side)		1	
CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship)		1	
<b>TOOLBOX CONFIGURATIONS:</b>			
REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Not available with tandem/tag axle chassis)		1	
(2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS		1	
LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper)		1	
<b>DEBRIS BOX &amp; BOOM:</b>			
UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements)		1	
MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control) (Located at midship control panel)		1	
DUAL VARIABLE VACUUM CONTROL (Located at both hose reel & midship stations)		1	
DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box)		1	
DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield)		1	
<b>ELECTRICAL &amp; LIGHTING:</b>			
WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station)		1	
ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab)		1	
(6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard)		1	
LED ARROW STICK (factory standard)		1	
LED MANHOLE AREA WORK LIGHT		1	
LED CURBSIDE BODY MOUNTED WORK LIGHT		1	
LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard)		1	
LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR		1	
<b>CHASSIS:</b>			
NON-STOCK CHASSIS MOUNTING ALTERATIONS		1	
AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system)		1	
SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER		1	
CENTRAL LUBRICATION SYSTEM		1	
ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB		1	
(2) TOW HOOKS REAR BUMPER		1	
<b>PAINT:</b>			
DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327)	•	STANDARD	
DEBRIS TANK: •STANDARD STERLING WHITE (FDG91327)	•	STANDARD	
HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287)		STANDARD	
FRAME: • STANDARD BLACK (FDG9000)		STANDARD	
SLIDE FRAME: • STANDARD BLACK (FDG9000)		STANDARD	
SPECIAL PAINT: METALLIC OR CLEAR COAT		CONTACT FACTORY	
<b>MANUALS &amp; TRAINING:</b>			
Additional Paper Operator's Manual		1	

USB OPERATORS MANUAL		1	
<b>SPECIAL ITEMS:</b>			
Optional: LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X ½" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side)		1	
SIGNATURE			DATE
Please return a signed copy to <a href="mailto:bianca@urockutility.com">bianca@urockutility.com</a>			