



Lake County Sheriff's Department
255 N. Forbes Street
Lakeport, CA 95453

December 18, 2017

RE: 21' to 23' Deep Vee Aluminum Patrol Boat

Dear Sirs,

This bid has been prepared by Jordan Allen for Almar by North River Boats. My Contact information is: Jordan@northriverboats.com and (541) 673-2438 Ext. 127

I have prepared our Proposal for one of our 21' x 8' 6" Seahawk, Outboard Patrol Vessel powered by a 250hp Mercury Verado outboard engine. This Patrol Vessel has a Forward, Walk-through windshield with a canvas top, supported by a rigid aluminum topframe.

Our Proposal meets or exceeds all bid specifications listed within the bid package. This Seahawk Patrol Vessel has proven to be an extremely stable and smooth riding platform. The hull that we have based our proposal on, has been in Commercial / Law enforcement use for many years with excellent success

All standard features are listed within the enclosed, North River quotation sheet and all specified items are listed by line item with a brief description of each option. If further information is needed, please do not hesitate to contact me. Further information can be found via our website: www.northriverboats.com, or please feel free to contact us by phone or email anytime.

Regards,

A handwritten signature in black ink, consisting of a large, stylized 'J' and 'A' followed by a horizontal line.

Jordan Allen
Government Sales
Almar / North River Boats
(541) 673-2438 x127
(541) 314-0161 Cell
Jordan@northriverboats.com



All returned checks are subject to \$35.00 NSF fee or 1% of the total sale, whichever is greater.



EST START WEEK
EST DEL WEEK

1750 Green Siding Road, ROSEBURG, OR 97470
(541) 673-2438 / Fax (541) 673-3073 (Roseburg)

www.northriverboats.com

BUYER: Lake County Sheriff's Department
255 N. Forbes Street
Lakeport, CA

PHONE: 707-262-4218
FAX:

Contact:
phone:

PROPOSAL / CONTRACT
ORDER NUMBER:
ORDER DATE: 12/15/2017
CUSTOMER NO:
SALESPERSON: Jordan Allen
JOB #

SHIP TO:

NORTH RIVER BOATS, an Oregon corporation hereby agrees to sell, and BUYER hereby agrees to purchase, the Vessel described more particularly below (the "Vessel"), subject to the terms and conditions on and attached to this Agreement:

OPTIONS	Description	Serial Number's	Unit Cost	Total
BOAT MODEL				
MODEL	2018 North River "Seahawk" Patrol w/ offshore bracket	0		
	CENTER LENGTH: 21' (Centerline length, NOT including motors) Overall length is 23' 2"			
	DEADRISE: 18°			
	CHINE BEAM: 84" 250" (5086 Marine Aluminum)			
	BEAM: 8' 6"			
	SIDE HEIGHT: 36" 190" (5086) Marine Aluminum			
	FUEL CAPACITY: 70 gallons			
	Transom Height: 25"			
	10 Year Government & Commercial Hull warranty for this contract			
TRAILER	2018 EZ Loader TEZ102B 21-25 (4700 # Carrying Capacity) Tandem Axle Aluminum Trailer with Bunks, (with Slick material pads) Oil bath hubs, LED Lighting package, Surge Disc Brakes on both axles, Chine Load guides w/ heavy duty, folding tongue jack.	TBA		\$ 4,595.00
TRAILER OPTIONS				
	Spare Tire & Carrier installed (ST215/75R14C)			
	CUSTOMER REQUESTS "BEARING BUDDIES" HUBS ILO UPGRADED, OIL BATH HUBS THAT COME AS A STANDARD FEATURE WITH TRAILER			
ENGINES				
MOTOR	2018 Mercury Verado 250XL	MSRP \$ 20,565.00	TBA	
MOTOR		MSRP \$	TBA	
MOTOR		MSRP	TBA	
JET / OUTDRIVE		MSRP	TBA	
ENGINE OPTIONS				
	Mercury (Single main engine) DTS Pre Rig & Outboard Installation for 6cyl Verado package - With Power Steering...Includes: DTS Control & SC1000 Gauge System Tach/Speed & Mercury Power Steering			
	Mercury Battery Isolator(s) per Mercury required installation		8M60D1343	
	Propellers: (Qty. 2) 3-blade, stainless steel mercury props; 1-standard (1 for spare)			
STEERING AND FUEL				
	Water / Fuel Separator: (Qty. 1) Mercury water / fuel separator with WIF sensor & Shut-Off Valve			
	Powered Hydraulic Steering for Mercury Outboard (Tilt Helm)			
	Stainless Steering wheel (Stainless "Destroyer" style) and power knob. (Schmitt stainless)			
	70 gallon aluminum fuel tank: (.190", 5052 aluminum) EPA Compliant fuel tank, with appropriate interior tank baffles, neoprene rubber and seaboard isolation mounting beds and brackets to prevent tank movement while underway. (2) 3/8" pickup fittings, (2) 5/8" vent fittings, 1.5" fill pipe, Wema electric fuel level sending unit and analogue gas gauge located on helm console. Deck plates to access tank fittings as needed. Tank access for removal via "soft patch" deck plate over entire fuel tank. Soft patch removal done with common hand tools. Tank installation and components comply with ABYC and EPA standards in effect at time of manufacture.			
	TRIM TABS: 12v Hydraulic Trim Tabs (12" x 9") w/ control pad with LED trim tab position indicator panel located at dash		EIC500 / V351-12x9E	
WELDED OPTIONS				
	Offshore Bracket for Single Outboard 4-stroke engines (25" Transom Height) w/ full width swim deck (bottom plate is extension of hull). Non-skid surface on topside of swim deck			
	.250 Bottom plate Thickness (5086 material) for bottom plate and transom plate			
	Extreme duty chine extrusions w/ turning strakes and heavy duty keel protector strip.			
	Welded Bow Storage compartment under bow (in foredeck area)			
	Anchor locker / storage in bow: Anchor locker to have a low point drain with hinged, top-side door for access.			
	Heavy Duty Cleats: (Qty. 4) 8" Cast Aluminum welded cleats w/ backing plates for moorage and anchoring			
	Bow Eye: (Qty. 1) welded aluminum, heavy duty bow eye.			
1	Hinged / Removable 4-step Dive Ladder on Outboard swim deck. Ladder to have steps w/ non-skid.			
	D-Bumper: Heavy duty rubber D-Bumper material (2" w x 3" tall) fan nose d-bumper to run from bow aft to Transom each side. D-Bumper to run around perimeter of swim platform for added protection.			
	Aluminum Rub Rail w/ D-Bumper: Welded aluminum rub rail (with D-Bumper) to run along mid-sides from transom forward approx. 12', for added sideplate protection.			
	TRANSOM DOOR: (Starboard side) Hinged, inboard door to access the swim platform.			
	Welded transducer brackets (Transom Port and Starboard sides) aluminum "stand-off" brackets on transom for mounting transducers, sensors etc.			

	Welded transom eyes (upper port and starboard transom)		
	Welded bow eye: heavy duty welded aluminum bow eye		
	Bow Rails: (1" sched 40) welded aluminum rails		
	Stern rails: (1" sched 40) welded aluminum stern rails		
	Transom Grab Rails: (Qty. 2) 3/4" sched. 40 grab rails welded to transom on port and starboard sides at an approx. 45° down angle outboard.		
	Transom Storage: Aluminum, (Top side) hinged lid(s) with Southco, stainless latches		
	Step plates: (diamond plate) tread pads welded to gunwales at points of entry / exit to the boat.		
	Outboard Crash Guard: (2" sched. 40) Adjustable height Single engine crash guard with fairleads, Outboard Crash guard can be removed with simple tools.		
	AFT Tow Bitt: (3" Sched.80) Removable tow bitt with welded cap and single (solid aluminum) cross pin		
	Security cover for Electronics. Custom aluminum (locking) cover at helm.		
	Secondary storage compartment on passenger side over glove box.		
CABIN / CONSOLE FEATURES			
	"Dual Helm" console w/ welded, Walk-Through windshield. ("5 window" windshield)		
	Radar / Electronics Arch: Arch to have mounting plate on top for antennas, radar dome, blue light, 100w speaker and 360° USCG required anchor light and deck lights.		
UPHOLSTERY AND CANVAS			
	RIGID FRAME TOP, with (Top Gun material) Canvas top-cover, Side Curtains and Backdrop curtain, Welded frame top has side storage trays above on port and starboard sides. Canvas top has 3-zippered panel forward for operator or passenger to roll canvas back and stand. Back drop curtain has 3 eiseenglass windows and center, roll-up door.		
	FORWARD SEATING: (Qty. 2) Mariner Suspension seats w/ fore & aft adjustment and heavy duty seat swivels.		
	AFT SEATING, Port & Starboard sides of cabin: Storage bench seats with padded / hinged lids (to access storage) and hinged backrests (Hasp locks on bench seats. Locks to be all keyed alike)		
OUTFITTING - RIGGING			
	Sacrificial Anode: (Qty. 1bd) Aluminum anode(s) bolted to aluminum stand off brackets on transom.		
	Cup Holders: (Qty. 4) cast aluminum cup-holders (1-by operator seat; 1-by passenger seat)		
	REAR VIEW MIRROR: 4" x 8" Attwood rear view mirror.		
	Fire Extinguishers: (Qty. 2) total, (Qty. 2 Kiddie 5 lbs. mounted in cabin & mounted on aft bulkhead area) installed per location determined by Lake County SO representative.	KID 466425	
	Anchor package: (Fortress G7 anchor.) Anchor w/ 100' of 1/2" Samson pro-set, 3-strand anchor line, 10' of ACCO 1/2"galvanized chain & Rode assembled with stainless swivels. Anchor style can change if necessary to suit anchoring conditions.		
	Boat hook: Garelick 3.5' to 8' telescoping boat hook.	GAR 55170	
OUTFITTING - ELECTRICAL			
	12v Electrical sytem, wiring and Electrical panel. Approx. 20 position panel (can be separated into smaller panels). Electrical switches and panel will be sized accordingly w/ ABYC standards and switches / fuses to accommodate all electrical components + a minimum of 20% spare switches.		
	CUSTOMER REQUESTS ALL ROCKER STYLE SWITCHES FOR DASH		
	NAVIGATION LIGHTING PACKAGE: USCG approved Navigation / Lighting package (LED Lights)		
	12v Horn: Flushmounted horn w/ momentary switch (labeled) at dash panel		
1	BILGE PUMP: Qty. 2 (1500 gph): Bilge pumps with auto float switch (labeled) at console panel. (bilge pump is wired "HOT" for operation with battery switch turned off when boat is moored)	RUL 51S	
	Bow mounted docking lights: (LED Sided mounted docking lights) Sea-Dog Stainless / flush mounted docking lights w/ welded backing plates	SDL 405950-1	
	12v power points: (Qty. 4) Marince power points w/ weather covers: (2- located over operator and navigator positions and 1 each located over aft bench / storage seats) All lights to be switched by a single on/off switch located at the helm.		
	BILGE BLOWER: Attwood 135cfm w/ dash mounted switch (labeled) Attwood model p/n 4201		
	Remote operated spotlight (Qty. 1) Go-light Radioray (model 2020) (remote control / Joystick panel loc. At navigators dash)		
	INTERIOR CABIN DOME LIGHTS: (Qty. 4) LED Red / White Cabin lights, switched at individual lights. (2-over aisleway, 1-over work station, 1- aft port cabin)		
	Windshield Wipers: DUAL (12v) Electric Wipers w/ Blue Sea rocker switch on Dash automotive style. Wipers to have 2-speed wiper switch.		
	BATTERIES: (Qty. 3) Group 24 deep cycle / marine batteries w/ selector switches and main circuit breaker. (Mercury Verado requires a dedicated battery) second battery bank is for "House" electrical. Each battery housed in battery boxes w/ lids and secured w/ nylon battery strap.		
	AFT Deck lights: (Qty. 2) Rigid Industries "Dually" M-series LED flood lights installed facing aft on radar / electronics arch. Both lights switched by a single switch located at the helm switch panel.		
ELECTRONICS INSTALLATIONS			
	LE Lightbar: Whelen "Mini Justice" LED Lightbar w/ (Qty.6) additional Whelen LINV2 V-series surface mounted (blue) LED lights. (2-port, 2-starboard, 2-aft cabin)	YJ 22	
	LE Pkg: Whelen WPA112 amp, Federal Signal PA300 siren controller with a Whelen SA315 (100w) speaker installed in forward deck area.		
	Electronics Pkg: Lowrance HDS-12 Gen3 Insight w/ Mid/High transducer, Structure Scan 3D Module & transducer. Sonar hub module w/ power cable, Stainless Thruhull 20deg tilted element transducer, Point 1 remote GPS antenna, and TOPO insight HD SE area card.		
	RADAR: Lowrance, 3G Radar, integrated with HDS-12 multifunction display.		
	Electronics package installation and testing		

12/18/17

BID #2005-001

**21-23' DeepVee aluminum patrol/rescue boat
BID Form**

Boat bid	\$ 89,283.73
Tax	\$ 6,517.25
Extended Warranty	\$ 1,709.35

TOTAL BID

**TOTAL BID FOR PATROL/RESCUE BOAT
INCLUDING 7¼% SALES TAX IN WORDS:**

**TOTAL BID FOR PATROL/RESCUE BOAT
INCLUDING 7¼% SALES TAX IN NUMBERS:**

Ninety seven thousand, five hundred ten dollars & thirty two cents

Make: North River

Model: Seahawk Deep Vee Patrol

Firm: North River Boats


Signature of Bidder

JORDAN ALLEN

1750 Green Siding Road

Title: Government & Commercial Sales

Roseburg, OR 97471

Delivery Date: N.L.T. 120 days after receipt of PO

Telephone No.: 541-673-2438

Date of Bid: November 18, 2017