Bid #18-20 11/6/2018

2019 Chevy Tahoe 4x4 pursuit vehicle BID Form

Bid	\$ 37,06200
Extended warranty	s N/A
Total bid	\$ 37,069.00
TOTAL BID INCLUDING 7 1/4% SALES TAX IN WORDS:	TOTAL BID INCLUDING 7 1/4% SALES TAX IN NUMBERS:
NETY FOUR DELINES ASTUNY FEL	cs 39, 79425
Make: Cth Uno li	Model: TAHOE PPV
Bidder declares that all representations made he	rein are true and correct, under penalty of perjury.
	STUTTE CHUNG
Signature of Contractor	Name of Company
This Mora	Date of Bid 11/26 /20
Title 90 Drys And	
Delivery Date	
g est	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
a see	THE RESIDENCE OF THE PARTY OF T
2	AWARD
ACCEPTED:	8
	Date:



OrderWORKBENCH:

Configuration Information

PEG: 1FL

Primary Color: GAZ - Summit White

Engine: L83 - Engine, 5.3L EcoTec9 V8 with Active

Fuel Management, Direct Injection and Variable

Valve Timing

Transmission; MYC - Transmission, 6-speed automatic,

electronically controlled

Trim: HOU - Jet Black, Cloth seat trim

Emissions: YF5 - Emissions, California state requirements

Requested TPW:

Options: 6HP, 6C7, 6E2, 6J3, 6J4, 6J7, 6N5, 6N6, 7X7, 9C1, 9G8, 9U3, AG1, AG2, AMF, AQQ, AT6, ATD, AU3, AY0, AZ3, BG9, BVE, C49, C5Y, CE1, CJ4, DL8, FHS, G80, GU4, IO5, K34, K47, K4B, KC4, K14, KNP, KW7, L83, MYC, N33, NQH, NZZ, QAR, RAP, RM7, SAF, TB4, TG5, U2J, UD7, UDD, UE1, UKS, UQ3, UTJ, UVC, VK3, VPV, VV4, YF5, YK6, Z82, ZAK, ZY1

Options		·			2
5HP: Key, 6 additional keys	AARTONIN ON			and the same	
6C7: Lighting, red and white front auxillary dome		7.	ES 8		
6E2: Key common, complete vahiole fleet				32.2	7
6J3: Wiring, grille lamps and siren speakers	-27-1	18500,700	71-48		
6J4: Wiring, horn and siren circuit	94.				
6J7: Flasher system, headlamp and talllamp, DRL compatible				TORIS.	
6N5: Switches, rear window inoperative			27.65	1242	
6N6: Door locks and handles, inside rear doors inoperative					
7X7: Spotlamps, left- and right-hand	hibitata obay	****	4-1-1		
9C1: Identifier for PPV					
9G8: Headlamps, Daytime Running Lamps and automatic headlamp control delete	, š				
9U3: Seats, driver and passenger front individual seats in cloth trim		13.00			
AG1: Seat adjuster, driver 10-way power					
AG2: Seat adjuster, front passenger 6-way power			33377		
AMF: Remote Keyless Entry Package	Gillion III			H	
AQQ: Remote Keyless Entry, extended-range		33	2: 0	95	



Order**WO**RKBENCH

providence of the control of the con
AT8: Seats, second row 60/40 split-folding bench, manual
ATD: Seat delete, third row passenger
AU9: Door locks, power programmable
AYO: Airbags, frontal and side-impact for driver and front passenger
AZ3: Seating, front 40/20/40 split-bench
BG9: Floor covering, Black rubberized-vinyl
BVE: Assist steps, Black
C49: Defogger, rear-window electric
C5Y: GVWR, 7100 lbs. (3221 kg)
CE1: Wipers, front intermittent, Rainsense
CJ4: Climate control, tri-zone automatic
DL8: Mirrors, outside heated power-adjustable, manual-folding and color keyed
FHS: E85 FlexFuel capable
G80: Differential, heavy-duty locking rear
GU4: Rear axle, 3.08 ratio
IO5: Audio system, 8" diagonal color touch-screen with Chevrolet Infotainment
K34: Crulse control, electronic with set and resume speed
K47: Air cleaner, high-capacity
K4B: Battery, Auxillary, 730 CCA
KC4: Cooling, external engine oil cooler, heavy-duty air-to-oil
KI4: Power autlet, 110-valt
KNP: Cooling, auxiliary transmission oit cooler, heavy-duty air-to-oil
KW7: Alternator, 170 amps, high output
L83: Engine, 5.3L, EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing
MYC: Transmission, 6-speed automatic, electronically controlled
N33: Steering column, Tilt-Wheel
NQH: Transfer case, active, 2-speed electronic Autotrac
NZZ: Skid Plate Package
QAR: Tires, P265/60R17 all-season, police, V-rated
RAP: Wheels, 17" x 8" (43.2 cm x 20.3 cm) steel, police, Black



OrderWORKBENCH

RM7: Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare

VPV: Ship Thru, Produced in Arlington Assembly

YF5: Emissions, California state requirements

VV4: Chevrolet 4G LTE

YK6: SEO Processing Option Z82: Trailering equipment

SAF: Tire carrier, lockable outside spare, winch-type mounted under frame at rear

TB4: Liftgate, rear manual

TG5: Audio system feature, single-slot CD/MP3 player

U2J: SiriusXM Radio, delete

UD7: Rear Park Assist

UDD: Driver information Center, 4.2* diagonal multi-color

UE1: OnStar and Chevrolet connected services capable

UK3: Steering wheel controls, mounted audio and cruise controls

UC3: Audio system feature, 6-speaker system

UTJ: Theft deterrent, content, electrical, unauthorized entry

UVC: Rear Vision Camera

VK3: License plate front mounting package

dup RM7 ZAK: Tire, spare, P265/60R17 all-season, police, V-rated
ZY1: Paint scheme, solid application

† North American Order Workbench is Intended solely for business use by GM Dealers. Pricing shown is for illustration purposes only. Refer to GMPricing.com for official GM Price schedules. GM pricing is subject to change by GM at anytime, without notice. The GSA Price Level is for GM use only.

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Price Summary

RICE SUMMARY	
in the second se	MSRP
Base Price	\$49,700.00
Total Options	(\$1,921.00)
Vehicle Subtotal	\$47,779.00
Destination Charge	\$1,295.00
Grand Total	\$49,074.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 7054. Data Updated: Nov 22, 2018 9:26:00 PM PST.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Selected Model and Options

CODE	MODEL		MSRP
CK1570	2019 Chevrolet Tahoe 4WD 4dr Commercial	\$49	700.00
COLORS			
CODE	DESCRIPTION		MSRF
GAZ	Summit White		\$0.00
OPTIONS			
CODE	DESCRIPTION	17	MSRI
-	Safety belts, 3-point, driver and front passenger in all seating positions (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	Inc.	
·	Capless fuel fill (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	
	Recovery hooks, standard removed	Inc.	- 37-10-67-61
	Door handles, body-color (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	**********
_	Instrumentation, analog with certified 150 mph speedometer (PPV), 140 mph speedometer (Special Service), odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	
	Key, 2-sided (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	/s vest/100022
	Luggage rack, delete (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	**********
_	Exterior ornamentation delete (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	lnc.	ore raws a 15 e pa
	Power outlets, 4 auxiliary, 12-volt includes 1 on the instrument panel, 1 in armrest, and 2 in the cargo area (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	Inc.	***************************************
	Power supply, 100-amp, auxiliary battery, rear electrical center (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	15772418
5	Power supply, 50-amp, power supply, auxiliary battery passenger compartment wiring harness (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery relay controlled, passenger compartment harness wiring (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

CODE	DESCRIPTION	MSRP
	Theft-deterrent system, vehicle, PASS-Key III (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.
1FL	Commercial Preferred Equipment Group Includes Standard Equipment	\$0.00
5HP	Key, 6 additional keys	\$41.00
6C7	Lighting, red and white front auxiliary dome (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$170.00
6E2	Key common, complete vehicle fleet provides a single key with a specific code that is common to the door locks and ignition of all the vehicles in the vehicle fleet. Key code is an alternate to SEO(6E8) complete vehicle fleet common key. NOTE: NOT COMPATIBLE with previous model years (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$25.00
6J3	Wiring, grille lamps and siren speakers (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$92.00
6J7	Flasher system, headlamp and taillamp, DRL compatible with control wire (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$495.00
6N5	Switches, rear window inoperative (rear windows can only operate from driver's position) (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$57.00
6N6	Door locks and handles, inside rear doors inoperative (doors can only be opened from outside) (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$59.00
7X7	Spotlamps, left- and right-hand (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle. Not available with (7X6) left-hand spotlamp.)	\$850.00
9C1	Identifier for PPV includes, (K47) high-capacity air cleaner, (KW7) 170 amp high output alternator, (K4B) 730 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, front independent torsion bar, and stabilizer bar and rear, multilink with coil springs, (QAR) P265/60R17 all-season, v-rated tires, (ZAK) P265/60R17 all-season, V-rated spare tire, Police brakes, (NZZ) underbody	(\$3,835.00)
	shield, (RAP) Black steel wheels w/bolt on center caps, Certified speedometer, delete roof rails, (ATD) third row seat delete, (NQH) active 2-speed transfer case (4WD only). *CREDIT*	
9G8	Headlamps, Daytime Running Lamps and automatic headlamp control delete deletes standard Daytime Running Lamps and automatic headlamp control features (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$50.00
AMF	Remote Keyless Entry Package includes 6 additional transmitters (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	\$75.00
ATD	Seat delete, third row passenger (Deletes rear storage compartment and (AP9) rear cargo net. Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.) *CREDIT*	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's Input is subject to the accuracy of the Input provided.

Data Version: 7054. Data Updated: Nov 22, 2018 9:26:00 PM PST.

Nov 23, 2018



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

CODE	DESCRIPTION		MSRP
AZ3	Seating, front 40/20/40 split-bench with Vinyl (1FL) or Premium Cloth (1FL and 1LS), 3- passenger, includes 6-way power driver and 2 way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage (includes auxiliary power outlet, USB port and input jack for audio system), storage compartments in seat cushion, adjustable outboard head restraints and storage pockets (STD)	***	\$0.00
C5Y	GVWR, 7100 lbs. (3221 kg) (4WD model only. Included and only available with (9C1) Police Vehicle.)	inc.	terrorean L
GAZ	Summit White	*****	\$0.00
GU4	Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IO5	Audio system, 8" diagonal color touch-screen with Chevrolet Infotainment AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop with the ability to browse, select and install apps to your vehicle. You can customize your content with audio, weather and more; featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack (STD)		\$0.00
K4B	Battery, Auxiliary, 730 CCA (Requires (RD6) 17" painted steel wheels or (PZX) 18" aluminum wheels with high-polished finish.)	Inc.	***************************************
KW7	Alternator, 170 amps, high output (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	Inc.	************
L83	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)		\$0.00
MYC	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode (STD)		\$0.0
NQH	Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing (Requires 4WD models. Included with (9C1) Police Vehicle, (5W4) Special Service Vehicle and (NHT) Maximum Trailering Package.)	Inc.	**************
NZZ	Skid Plate Package with (9C1) Police Vehicle or (5W4) Special Service Vehicle, includes frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case (Requires 4WD models and a Fleet or Government sales order type. Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	Inc.	2
QAR	Tires, P265/60R17 all-season, police, V-rated (Included and only available with (9C1) Police Vehicle.)	Inc.	PF (E.) (
RAP	Wheels, 17" x 8" (43.2 cm x 20.3 cm) steel, police, Black (Included and only available with (9C1) Police Vehicle.)	Inc.	
RM7	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare includes P265/60R17 V-rated tire (Included and only available with (9C1) Police Vehicle.)	Inc.	********

This document contains information considered Confidential between GM and its Clients uniquely. The Information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's Input Is subject to the accuracy of the input provided.

Data Version: 7054. Data Updated: Nov 22, 2018 9:26:00 PM PST.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

	Options Total	/\$4	1.921.00
ZY1	Paint scheme, solid application		\$0.0
ZAK	Tire, spare, P265/60R17 all-season, police, V-rated (Included and only available with (9C1) Police Vehicle.)	Inc.	
Z 56	Suspension Package, heavy-duty, police-rated front, independent torsion bar, and stabilizer bar and rear, multi-link with coil springs (Included and only available with (9C1) Police Vehicle only.)	Inc.	
YF5	Emissions, California state requirements		\$0.0
VQ2	Fleet processing option	HI CONTRACTOR	\$0.0
VPV	Ship Thru, Produced in Arlington Assembly and shipped to Kerr Industries and onto Arlington Assembly	Inc.	
CODE	DESCRIPTION		MSRI
PTIONS			

This document contains Information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 7054. Data Updated: Nov 22, 2018 9:26:00 PM PST.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Technical Specifications

hassis				
Velght Information	4	A market or an entire e	STATES AND STATES OF THE STATE	
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs	
Gross Axle Wt Rating - Front	3500 lbs	Gross Axle Wt Rating - Rear	3800 lbs	
Curb Weight - Front	2849.6 lbs	Curb Weight - Rear	2630.4 lbs	
Option Weight - Front	0.00 lbs	Option Weight - Rear	0.00 lbs	
Reserve Axle Capacity - Front	650.40 lbs	Reserve Axle Capacity - Rear	1169.60 lbs	
As Spec'd Curb Weight	5480.00 lbs	As Spec'd Payload	1620.00 lbs	
Maximum Payload Capacity	1620.00 lbs	Gross Combined Wt Rating	12000 lbs	
Gross Axle Weight Rating	7300.00 lbs	Curb Weight	5480.00 lbs	
Reserve Axle Capacity	1820.00 lbs	Total Option Weight	0.00 lbs	
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs	
Gross Vehicle Weight Rating	7100.00 lbs			
railering				
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs	
Wt Distributing Hitch - Max Trailer Wt.	6400 lbs	Wt Distributing Hitch - Max Tongue Wt.	640 lbs	
Maximum Trailering Capacity	N/A	**)		
rame				
Frame Type	N/A	Sect Modulus Rails Only	N/A	
Frame RBM	N/A	Frame Strength	N/A	
Frame Thickness	N/A			
uspension				
Suspension Type - Front	Independent	Suspension Type - Rear	Multi-Link	
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A	
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating	
Axle Capacity - Front	3600 lbs	Axle Capacity - Rear	4100 lbs	
Axle Ratio (:1) - Front	3.08	Axle Ratio (:1) - Rear	3.08	
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Suspension			
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			4
Front Tire Order Code	QAR	Rear Tire Order Code	QAR
Spare Tire Order Code	ZAK	Front Tire Size	P265/60R17
Rear Tire Size	P265/60R17	Spare Tire Size	P265/60R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Nheels -		×	
Front Wheel Size	17 x 8.0 in	Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering		6.	
Steering Type	Pwr Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	39.0 ft	Turning Diameter - Wall to Wall	N/A
Brakes		er E	
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A	end.	
uel Tank		ä	
Fuel Tank Capacity, Approx	26 gal	Aux Fuel Tank Capacity, Approx	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The Information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Wheel Drive	Trans Order Code Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model Transfer Case Gear Ratio (:1), Low	N/A
Wheel Drive	Trans Order Code Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	MYC Automatic N/A N/A N/A N/A N/A N/A N/A N/A
Wheel Drive	Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	Automatic N/A N/A N/A N/A N/A N/A N/A N/A
Wheel Drive	Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	Automatic N/A N/A N/A N/A N/A N/A N/A N/A
	Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	Automatic N/A N/A N/A N/A N/A N/A N/A N/A
	Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	Automatic N/A N/A N/A N/A N/A N/A N/A N/A
	Trans Description Cont. First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	Automatic N/A N/A N/A N/A N/A N/A N/A N/A
	First Gear Ratio (:1) Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	N/A N/A N/A N/A N/A
	Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	N/A N/A N/A N/A
	Third Gear Ratio (:1) Fifth Gear Ratio (:1) Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	N/A N/A N/A N/A
	Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	N/A N/A N/A
	Reverse Ratio (:1) Trans Power Take Off Transfer Case Model	N/A N/A N/A
	Transfer Case Model	N/A
	Transfer Case Model	N/A
		en e
**********************	11/1/ 2011	N/A
	e;	
PG	Cruising Range - City	390.00 mi
PG	Fuel Economy Est-Combined	17 MPG
0 mi		
***************************************	Engine Type	Gas/Ethanol V8
325		Direct Injection
) 5600		383 @ 4100
191 (VX 1) (F40) (41) (41)	, 3	100
		21
1.0		
-	325 @ 5600	325 Fuel System

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 7054. Data Updated: Nov 22, 2018 9:26:00 PM PST.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

	X 2		
Cold Cranking Amps @ 0° F (3rd)		-, -	
Cold Clarking Amps @ 0 F (310)	N/A	Maximum Alternator Capacity (amps)	170
Cooling System			(4)
Total Cooling System Capacity	N/A	gr.	i:
imensions			
nterior Dimensions			7
Passenger Capacity	6	Front Head Room	42.80 in
Front Leg Room	45.30 in	Front Shoulder Room	64.80 in
Front Hip Room	60.80 in	Second Head Room	38.70 in
Second Leg Room	39.00 in	Second Shoulder Room	65.10 in
Second Hip Room	60.20 in	Third Head Room	N/A
Third Leg Room	N/A	Third Shoulder Room	N/A
Third Hip Room	N/A		
xterior Dimensions			
Wheelbase	116.00 in	Length, Overall w/rear bumper	204.00 in
Length, Overall	N/A	Width, Max w/o mirrors	80.50 in
		The second of th	
Height, Overall	72.40 in	Overhang, Front	N/A
Height, Overall Overhang, Rear w/o bumper	72.40 in N/A	Front Bumper to Back of Cab	
Overhang, Rear w/o bumper Cab to Axle	N/A N/A	Front Bumper to Back of Cab Cab to End of Frame	
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	N/A N/A 35.91 in	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	N/A
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	N/A N/A	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	N/A N/A
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	N/A N/A 35.91 in	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	N/A N/A N/A
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	N/A N/A 35.91 in N/A	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front	N/A N/A N/A 8.5 in
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A N/A 35.91 in N/A 8.5 in	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length	N/A N/A N/A 8.5 in 0.00 ft
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height	N/A N/A 35.91 in N/A 8.5 in	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length Rear Door Opening Width	N/A N/A N/A 8.5 in 0.00 ft N/A
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height Side Door Opening Height	N/A N/A 35.91 in N/A 8.5 in N/A N/A	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length Rear Door Opening Width Side Door Opening Width	N/A N/A N/A 8.5 in 0.00 ft N/A N/A
Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height Side Door Opening Height Step Up Height - Front	N/A N/A 35.91 in N/A 8.5 in N/A N/A	Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length Rear Door Opening Width Side Door Opening Width	N/A N/A N/A 8.5 in 0.00 ft N/A N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Darron Kendall | 707-396-6482 | darron@silveiraautos.com

[Fleet] 2019 Chevrolet Tahoe (CK15706) 4WD 4dr (2)

Dimensions

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 2	43.20 in	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	49.30 in
Cargo Box (Area) Height	40.90 in	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	111.8 ft³
Cargo Volume to Seat 2	N/A	Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	.N/A

Exterior

Doors

Side Door Type

N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.