

## Quote

04/27/2020

To:

Lt. Jason Findley 707-262-4255 (Contact) Project:

Lake County Jail (Equipment 04/20) 4913 Helbush Dr. Lakeport, CA

From:

Myers Restaurant Supply Jacob Thomases 1599 Cleveland Ave. Santa Rosa, CA 95401 (707)570-1200

			(707)570-1200	
Item	Qty	Description	Sell	Sell Total
1	1 ea	Vulcan Model No. MSA48	\$4,856.32	\$4,856.32
<b>A</b>	0.0	Heavy Duty Griddle, countertop, gas, 48" W x 24" D cooking thick polished steel griddle plate, embedded mechanical st thermostat every 12", millivolt pilot safety, manual ignition profile, stainless steel front, sides, front grease trough, 6 q can, 4" back & tapered side splashes, 4" adjustable legs, 108 CSA Star, CSA Flame, NSF	nap action n, low t. grease	
		1 year limited parts & labor warranty, standard		
:=	1 ea	Gas type to be specified	ITEM TOTAL:	\$4,856.32
2	1 ea	FOOD SLICER, ELECTRIC Globe Model No. S13 Premium Heavy Duty Slicer, manual, 13" steel knife, top-m removable sharpener with synthetic diamond surfaces, kni interlock, kickstand, seamless anodized aluminum base, 1/ motor, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cETLus, ETL-Sa Made in USA (Replaces 3600N; with frozen option replaces 3 2 year parts & labor slicer warranty, lifetime sharpening sto warranty, standard	fe cover 2 HP knife Initation, 3600NF) Ines	\$3,955.19
3	1 ea	LABOR  Myers Restaurant Supply, LLC Labor, non taxable Delivery of crated equipment. Set in Place and Final Connections by other. Removal disposal of existing equipment not included.	\$95.00	<b>\$3,955.19</b> \$95.00
			ITEM TOTAL:	\$95.00
			Merchandise	\$8,906.51
			Tax 7.25%	\$638.83
			Total	\$9,545.34

Prices Good Until: 05/27/2020

TERMS OF PAYMENT.

Deposit of 50% of purchase price due upon receipt of accepted quotation by Seller or first Myers Purchase Order

Initial:

placed, whichever comes first. The remaining balance due prior to delivery or shipment of items.

A finance charge of 11/2% per month will be charged on the balance of all overdue accounts. Time is of the essence of this agreement.

SALES AND USE TAXES. Buyer shall be responsible for, & shall pay on demand by Seller, such sales, use, or other taxes or government charges for which Buyer may be liable or which Seller is required by law to collect from Buyer. TITLE. Buyer acknowledges & agrees that title to the Property which is the subject of this purchase is reserved in Seller until the full purchase price for the Property is paid.

SECURITY INTEREST. If & to the extent that Buyer shall be deemed to have any interest in the Property prior to payment of the full purchase price for the Property, Buyer hereby grants to Seller a continuing lien and security interest in Buyer's interest in the Property. Until such time as the Buyer pays the full purchase price, Buyer shall [i] maintain the Property in good condition & working order at Buyer's expense; [iii] defend any action which may affect Seller's interest in the property at Buyer's expense; [iii] allow Seller to inspect the Property at all reasonable times; [iv] not sell, encumber, relocate, or otherwise transfer the Property; [v] not discontinue or delay for more than [10] ten days, the project for which the Property is intended; and [vi] keep the Property free of all levies and security interests or other liens, charges or encumbrances. Upon request of the Seller, Buyer agrees to provide all required UCC-1 Financing Statement information & to take all other reasonable action to enable Seller to obtain, perfect, and defend its security interest in the Property.

Returns: Seller will work with Buyer and manufacturer to return unwanted and unneeded items. Buyer acknowledges that not all items are returnable once manufactured; these include but are not limited to all custom items. "Seller will not accept returns from Buyer of any item deemed as custom. For items that can be returned to the manufacturer, Buyer agrees to a minimum of 35% restocking fee and any freight that was incurred from the factory as well as shipment back to the factory. No returns can be made back to Seller without prior consent from Seller representative.

Warranties: All warranties are provided by the manufacturer. Return, replacement or repair of defective equipment shall be governed solely by the terms of the Manufacturer's warranty. Seller has not made any warranties, expressed or implied. All claims are between Buyer and the Manufacturer. Seller may assist Buyer in obtaining claim service. It is agreed to by Buyer that all warranty repairs and/or service calls must be performed by a Licensed and Approved Factory Service Agency, Buyer further acknowledges that if work is performed by a non-approved factory agency, the warranty can be deemed void by manufacturer. Customer is responsible for contract the Authorized Factory Service Agency to schedule a warranty call. Model and Serial number are required. Buyer acknowledges that in most cases warranty does not cover overtime hours or hours not deemed to be the normal business day.

Acceptance:	Date:	
Printed Name:		
Project Grand Total: \$9,545.34	<del>=</del>	



04/24/2020

13238

## Quote

Project:

Lake county Jail CA-Trinity

From:

Cook's Correctional

Craig Ferraro 27725 Diehl Rd.

Warrenville, IL 60555

800-956-5571 E.112 (Contact) cferraro@cooksdirect.com

Job Reference Number: 12855

Item	Qty	Description	Sell	Sell Total
1	1 ea	\$4,759.60	\$4,759.60	
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Natural gas (specify elevation if over 2,000 ft.)		
		Extend	ded Total:	\$4,759.60
2		SHIPPING		•
		Shipping included unless you need a lift gate delivery. You would need to to add 140.00 to the price.		
3	1 ea	FOOD SLICER, ELECTRIC	\$4,413.75	\$4,413.75
	1 ea	Globe G3600N Premium Heavy Duty Slicer, manual, 13" steel knife, top-mounted removable sharpener with synthetic diamond surfaces, knife cover interlock, kickstand, seamless anodized aluminum base, 1/2 HP knife motor, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation, Made in USA (Replaces 3600N; with frozen option replaces 3600NF) 2 year parts & labor slicer warranty, lifetime sharpening stones warranty, standard		
		Extend	ded Total:	\$4,413.75
		Total		\$9,173.35

Prices Good Until: 05/24/2020

Returned equipment may be subject to manufacturer restock fee.

tax 7/4% 665.07

Initial: \_\_\_\_\_ Page 1 of 2

Page 1 of 2

Acceptance:	Date:	
Printed Name:		
Project Grand Total: \$9.173.35	<del></del>	

Initial:



# Quote

04/28/2020

Project:

Lake County Sheriff's Office

From:

Restaurant Supply James Bourbeau 24 Maple Street

Wethersfield, CT 06109

855-838-1010

Job Reference Number: 18502


Item	Qty	Description	Sell	Sell Total
1	1 ea 1 ea 1 ea	\$5,099.99 , 1" on e U,	\$5,099.99	
			ITEM TOTAL:	\$5,099.99
2	1 ea	FOOD SLICER, ELECTRIC Globe Model No. S13 Premium Heavy Duty Slicer, manual, 13" steel knife, top-mounted removable sharpener with synthetic diamond surfaces, knife cover interlock, kickstand, seamless anodized aluminum base, 1/2 HP kn motor, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation Made in USA (Replaces 3600N; with frozen option replaces 3600NF 2 year parts & labor slicer warranty, lifetime sharpening stones warranty, standard	ife n,	\$3,999.99
			ITEM TOTAL:	\$3,999.99
3	1 ea	RestaurantSupply.net Model No. RESIDENTIAL/SCHOOL/CHURCH LIMITED ACCESS FEE Correctional facility delivery	\$50.00	\$50.00
			ITEM TOTAL:	\$50.00
			chandise 7.25% I	\$9,149.98 \$663.37 \$9,813.35
A	Acceptar	nce: Date:		
F	rinted N			

Item # \_\_\_\_\_ C.S.I. Section 11420

### GRIDDLES & BROILERS

# **VULCAN**

## MSA SERIES HEAVY DUTY GAS GRIDDLES



Model MSA48







### **SPECIFICATIONS**

Low profile heavy duty gas griddle, Vulcan Model No.\_\_\_\_\_. Stainless steel front, sides and front top ledge. Fully welded stainless and aluminized steel body frame. 11" low profile cooking height on 4" legs. 1" thick polished steel griddle plate with 12 gage, 4" stainless steel back and tapered side splashes. Grease chute is fully welded to stop grease migration. One 27,000 BTU/hr. "U" shaped aluminized steel burner and mechanical snap action thermostat for each 12" of griddle width. Chrome thermostat knob guards. Temperature adjusts from 200° to 550°F. One pilot safety for every two burners. 3½" wide stainless steel grease trough. ¾" rear gas connection and gas pressure regulator.

### **Exterior Dimensions:**

\_\_\_\_"w x 33" d x 15½" h on 4" legs.

CSA design certified. NSF listed.

SPECIFY TYPE OF GAS WHEN ORDERING. SPECIFY ALTITUDE WHEN ABOVE 3,999 FT.

☐ MSA24	24" w x 24" d griddle plate
☐ MSA36	36" w x 24" d griddle plate
☐ MSA48	48" w x 24" d griddle plate
☐ MSA60	60" w x 24" d griddle plate
☐ MSA72	72" w x 24" d griddle plate

#### STANDARD FEATURES

- Stainless steel front, sides and front top ledge with "Cool Bullnose" design.
- Fully welded stainless and aluminized steel chassis frame.
- 11" low profile cooking height on 4" adjustable legs.
- 1" thick polished steel griddle plate with 12 gauge, 4" stainless steel back and tapered side splashes.
- Spatula wide 3½" grease gutter and chute is fully welded for easier cleaning and to stop grease migration.
- One 27,000 BTU/hr. "U" shaped aluminized steel burner for every 12" of griddle width.
- One embedded snap action thermostat per burner with temperature adjust from 200°F to 550°F on Steel or Chrome plate. Temperature adjusts from 200°F to 450°F on Rapid Recovery™ plate.
- Large 6 quart stainless steel grease drawer (2 drawers on 60" and 72" models).
- Heavy duty chromed thermostat knob guards.
- One pilot safety valve for every two burners. Safety will completely shut off gas to pilot and burners if pilot extinguishes.
- Manual ignition.
- Bottom heat shields.
- ¾" rear gas connection and gas pressure regulator.
- One year limited parts and labor warranty.

### **OPTIONAL FEATURES**

Full or partially grooved griddle plate (steel or chrome plate only).
Rapid Recovery™ griddle plate (200-450°F controls, 48" maximum length).
Hexavalent chrome plated cooking surface.
30" deep plate (steel plate only).
Stainless steel stand with marine edges and casters.
Cutting board, condiment rail, plate rail and banking strip accessories.

### WULC4N

a division of ITW Food Equipment Group LLC

P.O. Box 696 Louisville, KY 40201 Toll-free: 1-800-814-2028 Local: 502-778-2791 Quote & Order Fax: 1-800-444-0602

### GRIDDLES & BROILERS



## MSA SERIES HEAVY DUTY GAS GRIDDLES

#### **INSTALLATION INSTRUCTIONS**


- A gas pressure regulator supplied with the unit must be installed; Natural Gas 4.0" (102 mm) W.C. Propane Gas 10.0" (254 mm) W.C.
- All models require a 6" (152 mm) clearance at both sides and rear adjacent to combustible and 0" from non-combustible constructions. All models require a 4" (102mm) bottom clearance and must be installed with minimum 4" legs.
- These units are manufactured for installation in accordance with ANSI/NFPA-70, National Electrical code.

An adequate ventilation system is required for Commercial Cooking Equipment (NFPA No. 96). Information may be obtained by writing to the National Fire Protection Association, Batterymarch Park, Quincy, MA 02169.

4. These units are manufactured for installation in accordance with National Fuel Gas Code, ANSI-Z223.1/NFPA #54 (latest edition). Copies may be obtained from The American Gas Association, Accredited Standards Committee Z223 @ 400 N. Capital St. NW, Washington, DC 20001, or the Secretary Standards Council, NFPA, 1 Batterymarch Park, Quincy, MA 02169-7471.

NOTE: In The Commonwealth of Massachusetts
All gas appliances vented through ventilation hood or exhaust
system equipped with a damper or with a power means of
exhaust shall comply with 248 CMR.

5. This appliance is manufactured for commercial installation only and is not intended for home use.



MODEL	WIDTH	DEPTH	OVERALL HEIGHT*	WORKING HEIGHT*	NO. OF BURNERS	TOTAL BTU/HR.	NO. OF DRAWERS	APPROX. SHIP. WT.
MSA24	24"	311/2"	151/4"	11½"	2	54,000	1	285 lbs./129 kg.
MSA36	36"	311/2"	151/4"	11½"	3	81,000	1	400 lbs./181 kg.
MSA48	48"	311/2"	151/4"	111/8"	4	108,000	1	480 lbs./218 kg.
MSA60	60"	311/2"	151/4"	111/8"	5	135,000	2	650 lbs./295 kg.
MSA72	72"	311/2"	151/4"	111/8"	6	162,000	2	790 lbs./358 kg.

<sup>\*</sup>These are nominal dimensions and can vary by +1.75" with adjustable legs.


### **VULCAN**

a division of ITW Food Equipment Group LLC

P.O. Box 696 Louisville, KY 40201 Toll-free: 1-800-814-2028 Local: 502-778-2791 Quote & Order Fax: 1-800-444-0602

## Precise - Powerful -Premium Construction

The all-new, heavy-duty S-Series line of premium slicers from Globe delivers precision, performance, industry-leading convenience, superior cleanability and lasting value.



**NEW!** Removable Knife makes cleanup easier while providing more operator protection















### Model

Manual Slicer

☐ S13 (Standard Model)

### S13 Standard Features

- Patented anodized aluminum design & construction for quick and easy cleaning
- Patent-pending indexing system enables accurate and precise slice thickness adjustment up to 1-1/8"
- 13" steel knife with hardened edge provides quality slices and higher vield
- Tilting carriage accommodates up to 13.75" H, 8" dia., 11" W large products, like prosciutto, mortadella and bacon
- Advanced meat grip design for superior product hold
- 1/2 HP continuous use knife motor combined with the high efficiency knife drive system delivers optimum power
- No Voltage Release prevents inadvertent reactivation of slicer in the event of interlock or power interruption
- Interlock prevents slicer from operating without the knife cover in place
- Top mounted, removable sharpening system utilizes longlasting synthetic diamond surfaces and enables quick and easy sharpening and cleaning
- Kickstand to facilitate ease of cleaning

### Warranty

- Two year parts and labor
- Lifetime warranty on sharpening stones

### **Factory Installed Options**

- NEW! KNIFE-RMV Removable Knife includes removal tool
- NEW! CARRIAGE-RMV Removable Carriage
- FRZN Serrated knife in lieu of standard knife and additional modifications; for slicing product between 20° and 32° F
- CORR Correctional Package
- SSK- Stainless Steel Knife in lieu of Carbon Steel

### **Optional Accessories**

- S-FENCE Food Fence
- S-VEGHOP Vegetable Hopper
- SC-LARGE Slicer Cover
- S-SLAWTRAY Slaw Tray
- S-LEGS 2.5" Extension Legs
- SCALE MOUNT-S Mount for Globe 10 lb. Scale
- S-XDSLM Extended Warranty

To select factory-installed options and accessories, see back

Approved by:\_


2153 Dryden Rd., Dayton, OH 45439 | 937-299-5493 | 800-347-5423 | Fax: 937-299-4147 | www.globefoodequip.com


3/26/2020

Printed in the U.S. @ Globe Food Equipment Company

### **Premium Manual Slicer**

**S13** 





**UNIT: Inches** 

Drawings available through KCL. www.kclcad.com

SPECIFICATIONS												
Model	Motor	Volts	Amps	NEMA Plug Type	Drive Type	Slicing Vol. / Day	Cheese Slicing	Blade Dlameter	Max Slice	Produ D (Diameter)	Ct Cutting C H (Height)	apacity W (Width)
S13	1/2 HP	115-60-1	2	5-15	Poly-V Belt	All Day	0 Tabe	13" (33.02 cm)	1-1/8" (2.857 cm)	8" (20.32 cm)	13.75" (35 cm)	11" (27.94 cm)
S13-05	1/2 HP	220-60-1	1	6-15P 🔂	Poly-V Belt	All Day	0 1009 1 1 min	13" (33.02 cm)	1-1/8" (2.857 cm)	8" (20.32 cm)	13.75" (35 cm)	11" (27.94 cm)
S13-07	1/2 HP	220-50-1	1	CEE7/7 😯	Poly-V Belt	All Day	0 Tana 100%	13" (33.02 cm)	1-1/8" (2.857 cm)	8" (20.32 cm)	13.75" (35 cm)	11" (27.94 cm)

Cord & Plug: Attached 7 ft. flexible 3-wire cord with molded plug fits a grounded receptacle. Please specify desired plug configuration when ordering.

### DIMENSIONS | SHIPPING INFORMATION

Reinforced carton for shipping. The weight and dimensions of this reinforced carton are included below and may vary from shipment to shipment. Shipped on a pallet. Freight class 85.

Model	Max Overall Dimensions	Net Weight	Shipping Dimensions	Shipping Weight
S13	36.47" W x 29.56" D x 25.51" H	114 lbs.	31.5" W x 31.5" D x 31.5" H	135 lbs.
	(92.63 cm x 75.08 cm x 64.8 cm)	(51.71 kg)	(80 cm x 80 cm x 80 cm)	(61.24 kg)

### **FACTORY INSTALLED OPTIONS:**

- NEW! KNIFE-RMV Removable Knife includes removal tool
- □ **NEW!** CARRIAGE-RMV Removable Carriage
- ☐ FRZN Serrated knife in lieu of standard knife and additional modifications
- ☐ CORR Correctional Package
- SSK Stainless steel knife in lieu of Carbon Steel

#### **OPTIONAL ACCESSORIES:**

- S-FENCE Food Fence
- ☐ S-VEGHOP Vegetable Hopper
- SC-LARGE Slicer Cover
- ☐ S-SLAWTRAY Slaw Tray
- S-LEGS 2.5" Extension Legs
- SCALE MOUNT-S Mount for Globe 10 lb. scale
- S-XDSLM Extended Warranty



KNIFE-RMV



Constructed of anodized aluminum with built-in control panel. 1/2 HP motor with overload protection and 13" hardened steel knife. Patent-pending indexing system with slice thickness adjustment up to 1-1/8". Top mounted removable sharpener with synthetic diamond stone wheel and plate. Tilting carriage accommodates up to 13.75" H, 8" dia., 11" W large products. Slicer is ETL listed. No Voltage Release and Knife Cover Interlock. Two year parts and labor slicer warranty, lifetime warranty on sharpening stones.

2153 Dryden Rd., Dayton, OH 45439 | 937-299-5493 | 800-347-5423 | Fax: 937-299-4147 | www.globefoodequip.com