COUNTY OF LAKE ADDENDUM IX CDC Guidelines for When You've Been Dully Vaccinated

People are considered fully vaccinated:

- 2 weeks after their second dose in a 2-dose series, such as the Pfizer or Moderna vaccines.
- ➤ 2 weeks after a single-dose vaccine, such as Johnson & Johnson's Janssen vaccine.
- ➤ If it has been less than 2 weeks since your 1-dose shot, or if you still need to get your second dose of a 2-dose vaccine, you are NOT fully protected. Keep taking all prevention steps until you are fully vaccinated.

Workers who are vaccinated must continue to follow protective measures, such as wearing a face covering and remaining physically distant.

Recommendations for Isolation, Quarantine and Testing for Fully Vaccinated Employees Following an Exposure

- ➤ Fully vaccinated employees with no COVID-like symptoms do not need to quarantine or be tested following an exposure to someone with suspected or confirmed COVID-19, as their risk of infection is low. However, fully vaccinated employees who do not quarantine should still monitor for symptoms of COVID-19 for 14 days following an exposure.
- ➤ If they experience symptoms, they should isolate themselves from others, be clinically evaluated for COVID-19, including SARS-CoV-2 testing, if indicated, and inform their health care provider of their vaccination status at the time of presentation to care.