



YOCHA DEHE
CULTURAL RESOURCES

May 19, 2021

Lake County – Community Development Department
Attn: Sateur Ham, Planner
255 N. Forbes St.
Lakeport, CA 95453

RE: 14507 Western Mine Rd Middletown Project YD-05172021-05

Dear Mr. Ham:

Thank you for your project notification letter dated, May 21, 2021, regarding cultural information on or near the proposed 14507 Western Mine Rd Middletown Project, Middletown, Lake County. We appreciate your effort to contact us.

The Cultural Resources Department has reviewed the project and concluded that it is not within the aboriginal territories of the Yocha Dehe Wintun Nation. Therefore, we respectfully decline any comment on this project. However, based on the information provided, please defer correspondence to the following:


Middletown Rancheria
Attn: THPO
PO Box 1035
Middletown, CA 95461

Please refer to identification number YD – 05172021-05 in any future correspondence with Yocha Dehe Wintun Nation concerning this project.

Thank you for providing us with this notice and the opportunity to comment.

Sincerely,

DocuSigned by:



F5E6AC2FFD52434...
Laverne Bill

Interim Director of Cultural Resources

cc: Middletown Rancheria

Sateur Ham

From: Wink, Mike@CALFIRE <Mike.Wink@fire.ca.gov>
Sent: Tuesday, May 12, 2020 10:23 AM
To: Sateur Ham
Cc: Duncan, Paul@CALFIRE; Hannan, Jake@CALFIRE; Jack Smalley; David Casian; Hakala, Jeff@CALFIRE
Subject: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Greetings Planner Ham

These comments are from CAL FIRE.

This Use Permit is in the SRA (State Responsibility Area). The requires the application of all Fire Codes, which also apply Title 14, PRC 4290 et'al.

The Use Permit information provided from the applicant says it is for a Commercial Application that includes "processing" on the property.

The delay of any Fire Safe Standards is not allowed per Title, Code, Regulation et'al, and CAL FIRE does not support any delayed application of minimum fire safe standards.

If the AHJ chooses to not enforce minimum fire safe standards during the permit process that is required by the State Fire Safe Regulations (Title 14, PRC 4290 et'al), they are accepting all responsibility for not requiring the applicant to follow minimum State Fire Safe Regulations required in the SRA.

The Lake County Chief Building Official is also the County Fire Marshall who shall ensure all Codes, Laws, Regulations and etcetera for this project shall be applied. This is also within the local Fire Protection Districts Boundary, where they are a cooperator in applying and enforcing all Codes, Laws, Regulations and etcetera for this project and they will also have comments.

While not in Title, Code or Regulation, CAL FIRE does support the County of Lake's "Dark Sky Initiative". This standard reduces the false reporting of a vegetation fire from light during the night. False activation of the 911 system puts the community and first responders at risk when it can be avoided. This does not appear applicable to this application.

This location is within proximity and or surrounded by a "VERY HIGH Wildland Fire Hazard Severity Zone" area. This is the most extreme and hazardous area category for wildland fire risk. (see below)

Regulations for the AHJ to follow listed below to be , but not be limited to:

- Property line setbacks for structures shall be a minimum of 30 feet. A "Greenhouse" is a structure.

- Addressing that is reflective and of contrasting colors from the public roadway to the location and at every intersection.
- On site water storage for fire protection of each structure per NFPA 1142.
- Per NFPA 1142, fire suppression water storage tanks for commercial use shall be steel or fiberglass (not plastic).
- All private property roads / access used for this project shall meet minimum Fire Safe standards for emergency vehicle ingress and egress
- A "One Way" loop road standard could be used, or a two lane road.
- A "Road" is two 10 foot lanes of travel for a total of 20 feet of derivable surface not including the shoulders.
- A "Driveway" is a 10 foot wide road with a turnout every 400 feet. This shall not be used for commercial applications, or access to more than three structures that are residences.
- A "Turnout" shall be a minimum 10 feet wide and 30 feet long, with a 25 foot taper at each end
- A "One Lane", "One Way" only loop road is 12 feet wide of derivable surface, plus shoulders. A one lane road must connect on both ends to a two lane road or County Road.
- A bridge can meet the "One Lane", "One Way" 12 feet wide road standard with appropriate signage. A bridge must be marked by the owner of the bridge that it is rated to support 75,000 pounds.
- A bridge shall not be less than 12 feet wide.
- A bridge can meet the "Road " 20 feet wide standard. A bridge must be marked by the owner of the bridge that is is rated to support 75,00 pounds.
- Existing roadways on private property shall meet, and or be improved to meet "Road" standards.
- All weather roadway surfaces shall be rated/engineered for 75,000 lb vehicles is the minimum (including bridges).
- All weather roadway surfaces do not ever have mud, standing or flowing water that vehicles have to travel through.
- Maximum roadway slope is 16%.
- Gate width is 14 foot minimum.

- Gate set backs are a minimum of 30 feet from a road to the gate.
- Gates shall have access criteria locks and alike that meet the local Fire Protection District standard "KNOX" (or similar) access program.
- Parking at the site shall allow for turnarounds, hammerhead T, or similar.
- Minimum fuels reduction of 100 feet of defensible space from all structures.
 - Some applications have mention that they may have a gasoline generator for backup power when solar is not available. If this is the case, the generator shall be placed on a minimum of a 10 foot radius of a non combustibile surface. It shall have a minimum of a 3A-40B.C Fire Extinguisher within the 10 foot radius.
- This property will meet the criteria to be, or will be a CERS / CUPA reporting facility/entity to Lake County Environmental Health (see hyperlink below), it shall also comply specifically with PRC4291.3 requiring 300 feet of defensible space and fuels reduction around structures. In summary, any structure or location that stores hazardous, flammable or dangerous items shall establish and maintain 300 feet of defensible space / fuels reduction around its radius.
- While not in Title, Code or Regulation, CAL FIRE does support the County of Lake's "Dark Sky Initiative". This standard reduces the false reporting of a vegetation fire from light during the night. False activation of the 911 system puts the community and first responders at risk when it can be avoided.

http://www.fire.ca.gov/fire_prevention/fire_prevention_wildland_codes

[California's Wildland-Urban Interface Code Information - CAL FIRE - Home
www.fire.ca.gov](http://www.fire.ca.gov)

The law requires that homeowners do fuel modification to 100 feet (or the property line) around their buildings to create a defensible space for firefighters and to protect their homes from wildfires. New building codes will protect buildings from being ignited by flying embers which can travel as ...

http://www.lakecountycalifornia.gov/Government/Directory/Environmental_Health/Programs/cupa.htm

[Hazardous Materials Management \(CUPA\)](http://www.lakecountycalifornia.gov)

www.lakecountycalifornia.gov

The Lake County Division of Environmental Health is the Certified Unified Program Agency for all of Lake County, dealing with hazardous waste and hazardous materials.

[Hazardous Materials Management \(CUPA\)](http://www.lakecountycalifornia.gov)

www.lakecountycalifornia.gov

The Lake County Division of Environmental Health is the Certified Unified Program Agency for all of Lake County, dealing with hazardous waste and hazardous materials.

Sateur Ham

From: Fahmy Attar <FahmyA@lcaqmd.net>
Sent: Friday, May 15, 2020 9:39 AM
To: Sateur Ham
Subject: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Sateur,

For a Cannabis operation site, here is a list of Air Quality requirements that may be applicable to the site:

1. Off-site odor impacts should be mitigated to minimize nuisance to nearby residences, property, and public roads.
2. Any manufacturing or delivery Cannabis operations must comply with LCAQMD rules and regulations. An application must be submitted. Contact LCAQMD for more details.
3. Any demolition or renovation is subject to the Federal National Emissions Standard for Hazardous Air Pollutants (NESHAP) for asbestos in buildings requires asbestos inspections by a Certified Asbestos Consultant for all major renovations and all demolition. An Asbestos Notification Form with the Asbestos inspection report must be submitted to the District at least 14 days prior to beginning any demolition work. The applicant must contact the District for more details and proper approvals. Regardless of asbestos content or reporting requirements all demolition and renovation activities should use adequate water/ amended water to prevent dust generation and nuisance conditions.
4. Construction activities that involve pavement, masonry, sand, gravel, grading, and other activities that could produce airborne particulate should be conducted with adequate dust controls to minimize airborne emissions. A dust mitigation plan may be required should the applicant fail to maintain adequate dust controls.
5. If construction or site activities are conducted within Serpentine soils, a Serpentine Control Plan may be required. Any parcel with Serpentine soils must obtain proper approvals from LCAQMD prior to beginning any construction activities. Contact LCAQMD for more details.
6. All engines must notify LCAQMD prior to beginning construction activities and prior to engine Use. Mobile diesel equipment used for construction and/or maintenance must be in compliance with State registration requirements. All equipment units must meet Federal, State and local requirements. All equipment units must meet RICE NESHAP/NSPS requirements including proper maintenance to minimize airborne emissions and proper record-keeping of all activities, all units must meet the State Air Toxic Control Measures for CI engines, and must meet local regulations. Contact LCAQMD for more details.
7. Site development, vegetation disposal, and site operation shall not create nuisance odors or dust. During the site preparation phase, the District recommends that any removed vegetation be chipped and spread for ground cover and erosion control. Burning is not allowed on commercial property, materials generated from the commercial operation, and waste material from construction debris, must not be burned as a means of disposal.
8. Significant dust may be generated from increase vehicle traffic if driveways and parking areas are not adequately surfaced. Surfacing standards should be included as a requirement in the use permit to minimize dust impacts to the public, visitors, and road traffic. At a minimum, the District recommends chip seal as a temporary measure for primary access roads and parking. Paving with asphaltic concrete is preferred and

should be required for long term occupancy. All areas subject to semi truck / trailer traffic should require asphaltic concrete paving or equivalent to prevent fugitive dust generation. Gravel surfacing may be adequate for low use driveways and overflow parking areas, however, gravel surfaces require more maintenance to achieve dust control, and permit conditions should require regular palliative treatment if gravel is utilized. White rock is not suitable for surfacing (and should be prohibited in the permit) because of its tendency to break down and create excessive dust. Grading and re-graveling roads should utilize water trucks if necessary, reduce travel times through efficient time management and consolidating solid waste removal/supply deliveries, and speed limits.

Best,

Fahmy Attar
Air Quality Engineer
Lake County Air Quality Management District
2617 S. Main Street, Lakeport, CA, 95453
(707) 263-7000 | fahmya@lcaqmd.net

On May 11, 2020, at 8:12 AM, Sateur Ham <Sateur.Ham@lakecountyca.gov> wrote:

Good morning,

Please review the following documents for commenting no later than June 1, 2020. Have a great day!

Best,

Sateur Ham
County of Lake
Assistant Planner
255 North Forbes Street
Lakeport, CA 95453
Phone: 707-263-2221 ext 37102
E-mail: Sateur.ham@lakecountyca.gov

<PMP.PDF><Western Mine Site Maps first draft.pdf><all_rfr_soderlind.pdf>

Sateur Ham

From: Ryan Peterson <rpeterson@middletownrancheria.com>
Sent: Monday, May 11, 2020 11:52 AM
To: Sateur Ham
Subject: Re: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Thanks Sateur,

After review the Tribe is comfortable with the project moving forward and will not request consultation. Have a great day as well!

Regards,

Ryan Peterson
Admin & Projects Coordinator
Middletown Rancheria
Tribal Historic Preservation Department
PO Box 1035 Middletown, CA 95461
Phone: (707) 987-1315
Fax: (707) 987-9091

On Mon, May 11, 2020 at 11:46 AM Sateur Ham <Sateur.Ham@lakecountyca.gov> wrote:

Here you go. Have a great day! ☺

Best

From: Ryan Peterson [mailto:rpeterson@middletownrancheria.com]
Sent: Monday, May 11, 2020 11:34 AM
To: Sateur Ham <Sateur.Ham@lakecountyca.gov>
Subject: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Hey Sateur,

This project does fall within our Area of Concern. Could you please forward a copy of the cultural resources study for our review? Thanks.

Regards,



LAKE COUNTY SHERIFF'S DEPARTMENT

1220 Martin Street • Lakeport, California 95453

Administration
(707) 262-4200

Central Dispatch
(707) 263-2690

Coroner
(707) 262-4215

Corrections
(707) 262-4240

Patrol/Investigation
(707) 262-4230

Substation
(707) 994-6433

Brian L. Martin
Sheriff / Coroner

Lake County Community Development

RE: UP 20-39
14507 Western Mine Rd
Middletown, CA

In review of the Security Management Plan submitted for UP 20-39 via the Lake County Community Development Department in May 2020. The Lake County Sheriff's Office has determined the submitted security plan meets the requirements of the County of Lake as set forth in Lake County Ordinance 3084 / 3073.

The Lake County Sheriff's Office's review of the Security Plan is not an endorsement or recommendation of the Security Plan. It is a determination the Security Plan meets the minimum requirements as outlined in Lake County Ordinance 3084.

The original, official document is retained by the Lake County Community Development Department. All inquiries regarding the status of cannabis permits or the application process should be directed to the Community Development Department.

L. Bingham

Lieutenant Luke Bingham
Lake County Sheriff's Office
1220 Martin St.
Lakeport, CA 95453
707 262 4200

CALIFORNIA
HISTORICAL
RESOURCES
INFORMATION
SYSTEM



ALAMEDA
COLUSA
CONTRA COSTA
DEL NORTE

HUMBOLDT
LAKE
MARIN
MENDOCINO
MONTEREY
NAPA
SAN BENITO

SAN FRANCISCO
SAN MATEO
SANTA CLARA
SANTA CRUZ
SOLANO
SONOMA
YOLO

Northwest Information Center
Sonoma State University
150 Professional Center Drive, Suite E
Rohnert Park, California 94928-3609
Tel: 707.588.8455
nwwic@sonoma.edu
<http://www.sonoma.edu/nwwic>

June 2, 2020

File No.: 19-1981

Sateur Ham, Assistant Planner
Lake County
Community Development Department
255 N. Forbes Street
Lakeport, CA. 95453

re: UP 20-39; IS 20-49; EA 20-51 / 013-030-29 / Western Mine Farms, LLC

Dear Sateur Ham,

Records at this office were reviewed to determine if this project could adversely affect cultural resources. **Please note that use of the term cultural resources includes both archaeological sites and historical buildings and/or structures. The review for possible historic-era building/structures, however, was limited to references currently in our office and should not be considered comprehensive.**

Project Description: Applicant is requesting approval of a major use permit to allow one (1) A – Type 3: “Outdoor”: Cultivation for adult use cannabis (43,560 sq. ft. total canopy and 65,000 sq. ft. cultivation area). A fence enclosure, conex box/storm proof shed for storage and processing, existing garage used for security monitoring, water tanks, and existing water supply system for irrigation are proposed to be associated with this project.

Previous Studies:

XX Study # S-81 (Fredrickson 1974) and Study # S-53961 (Spillane 2019) cover 100% of the proposed project area, and failed to identify any cultural resources (*see recommendations below*).

Archaeological and Native American Resources Recommendations:

XX Given the negative findings of Study # S-53961 (Spillane 2019), the proposed project area has a low possibility of containing unrecorded archaeological sites. Therefore, no further study for archaeological resources is recommended.

XX We recommend the lead agency contact the local Native American tribe(s) regarding traditional, cultural, and religious heritage values. For a complete listing of tribes in the vicinity of the project, please contact the Native American Heritage Commission at 916/373-3710.

Built Environment Recommendations:

XX Since the Office of Historic Preservation has determined that any building or structure 45 years or older may be of historical value, if the project area contains such properties, it is recommended that prior to commencement of project activities, a qualified professional familiar with the architecture and history of Lake County conduct a formal CEQA evaluation.

Due to processing delays and other factors, not all of the historical resource reports and resource records that have been submitted to the Office of Historic Preservation are available via this records search. Additional information may be available through the federal, state, and local agencies that produced or paid for historical resource management work in the search area. Additionally, Native American tribes have historical resource information not in the California Historical Resources Information System (CHRIS) Inventory, and you should contact the California Native American Heritage Commission for information on local/regional tribal contacts.

The California Office of Historic Preservation (OHP) contracts with the California Historical Resources Information System's (CHRIS) regional Information Centers (ICs) to maintain information in the CHRIS inventory and make it available to local, state, and federal agencies, cultural resource professionals, Native American tribes, researchers, and the public. Recommendations made by IC coordinators or their staff regarding the interpretation and application of this information are advisory only. Such recommendations do not necessarily represent the evaluation or opinion of the State Historic Preservation Officer in carrying out the OHP's regulatory authority under federal and state law.

For your reference, a list of qualified professionals in California that meet the Secretary of the Interior's Standards can be found at <http://www.chrisinfo.org>. If archaeological resources are encountered during the project, work in the immediate vicinity of the finds should be halted until a qualified archaeologist has evaluated the situation. If you have any questions please give us a call (707) 588-8455.

Sincerely,

Bryan Much
Coordinator

Sateur Ham

From: Lori Baca
Sent: Tuesday, May 12, 2020 2:44 PM
To: Sateur Ham
Subject: RE: Request for Review: UP 20-39; IS 20-49; EA 20-51

Sateur,

Parcel 013-030-29 is outside of any Special Districts service area, no impact.

Have a great day!!

Lori A. Baca, CTA
Customer Service Coordinator
Lori.Baca@lakecountyca.gov
Office Number (707) 263-0119
Fax (707) 263-3836



From: Sateur Ham
Sent: Monday, May 11, 2020 8:12 AM
To: Steven Hajik <Steven.Hajik@lakecountyca.gov>; Andrew Williams <Andrew.Williams@lakecountyca.gov>; BLM <anafus@blm.gov>; CalCannabis (kevin.ponce@cdfa.ca.gov) <kevin.ponce@cdfa.ca.gov>; Calfire <mike.wink@fire.ca.gov>; CalTrans-Rex <Rex.Jackman@dot.ca.gov>; Carol Huchingson <Carol.Huchingson@lakecountyca.gov>; CDFW Kyle <kyle.stoner@wildlife.ca.gov>; CEQA CDFW <R2CEQA@wildlife.ca.gov>; Gordon Haggitt <Gordon.Haggitt@lakecountyca.gov>; CRWQCB (Janae.Fried@Waterboards.ca.gov) <Janae.Fried@Waterboards.ca.gov>; David Casian <David.Casian@lakecountyca.gov>; Doug Gearhart <doug@lcaqmd.net>; Elizabeth Knight <elizabethk@lcaqmd.net>; Fahmy-Lake County Air Quality <fahmya@lcaqmd.net>; Farm Bureau <lcfarmbureau@sbcglobal.net>; Jacob_dot <Jacob.Rightnar@dot.ca.gov>; Jim Campbell <Jim.Campbell@lakecountyca.gov>; Kelli Hanlon <Kelli.Hanlon@lakecountyca.gov>; Kelseyville Fire <pbleuss@kelseyvillefire.com>; Lake Co. Fire <Fdchf700@yahoo.com>; Greg Peters <Greg.Peters@lakecountyca.gov>; Lake Pillsbury <LPFPD.Chief.950@gmail.com>; Lakeport Fire <chief500@lakeportfire.com>; Lucas Bingham <Lucas.Bingham@lakecountyca.gov>; Michelle Scully <Michelle.Scully@lakecountyca.gov>; Northshore Fire <chief800@northshorefpd.com>; PG&E <PGENorthernAgencyIns@pge.com>; PG&E (CGF7@pge.com) <CGF7@pge.com>; pge <ERCL@pge.com>; POC-BLM <bhalstead@blm.gov>; Richard Ford <Richard.Ford@lakecountyca.gov>; Saskia Rymer-Burnett <saskia.rymer-burnett@dot.ca.gov>; Scott DeLeon <Scott.DeLeon@lakecountyca.gov>; Sonoma State <nwic@sonoma.edu>; South Lake County Fire <Gloria.Fong@fire.ca.gov>; Lori Baca <Lori.Baca@lakecountyca.gov>; Susan Parker <Susan.Parker@lakecountyca.gov>; Yuliya Osetrova <Yuliya.Osetrova@lakecountyca.gov>; Moke Simon <Moke.Simon@lakecountyca.gov>
Subject: Request for Review: UP 20-39; IS 20-49; EA 20-51

Good morning,

Sateur Ham

From: Gordon Haggitt
Sent: Friday, May 15, 2020 2:42 PM
To: Sateur Ham
Subject: RE: Request for Review: UP 20-39; IS 20-49; EA 20-51

Sateur: Usual comments. A survey may be required depending on extent of setback and location of grow site. Also, I'm not seeing what the easement to the property is other than it appears to be a private easement.

Gordon M. Haggitt
County Surveyor, County of Lake
(707)263-2341

From: Sateur Ham
Sent: Monday, May 11, 2020 8:12 AM
To: Steven Hajik <Steven.Hajik@lakecountyca.gov>; Andrew Williams <Andrew.Williams@lakecountyca.gov>; BLM <anafus@blm.gov>; CalCannabis (kevin.ponce@cdfa.ca.gov) <kevin.ponce@cdfa.ca.gov>; Calfire <mike.wink@fire.ca.gov>; CalTrans-Rex <Rex.Jackman@dot.ca.gov>; Carol Huchingson <Carol.Huchingson@lakecountyca.gov>; CDFW Kyle <kyle.stoner@wildlife.ca.gov>; CEQA CDFW <R2CEQA@wildlife.ca.gov>; Gordon Haggitt <Gordon.Haggitt@lakecountyca.gov>; CRWQCB (Janae.Fried@Waterboards.ca.gov) <Janae.Fried@Waterboards.ca.gov>; David Casian <David.Casian@lakecountyca.gov>; Doug Gearhart <doug@lcaqmd.net>; Elizabeth Knight <elizabethk@lcaqmd.net>; Fahmy-Lake County Air Quality <fahmya@lcaqmd.net>; Farm Bureau <lfarmbureau@sbcglobal.net>; Jacob_dot <Jacob.Rightnar@dot.ca.gov>; Jim Campbell <Jim.Campbell@lakecountyca.gov>; Kelli Hanlon <Kelli.Hanlon@lakecountyca.gov>; Kelseyville Fire <pbleuss@kelseyvillefire.com>; Lake Co. Fire <Fdchf700@yahoo.com>; Greg Peters <Greg.Peters@lakecountyca.gov>; Lake Pillsbury <LPFPD.Chief.950@gmail.com>; Lakeport Fire <chief500@lakeportfire.com>; Lucas Bingham <Lucas.Bingham@lakecountyca.gov>; Michelle Scully <Michelle.Scully@lakecountyca.gov>; Northshore Fire <chief800@northshorefpd.com>; PG&E <PGENorthernAgencyIns@pge.com>; PG&E (CGF7@pge.com) <CGF7@pge.com>; pge <ERCL@pge.com>; POC-BLM <bhalstead@blm.gov>; Richard Ford <Richard.Ford@lakecountyca.gov>; Saskia Rymer-Burnett <saskia.rymer-burnett@dot.ca.gov>; Scott DeLeon <Scott.DeLeon@lakecountyca.gov>; Sonoma State <nwic@sonoma.edu>; South Lake County Fire <Gloria.Fong@fire.ca.gov>; Lori Baca <Lori.Baca@lakecountyca.gov>; Susan Parker <Susan.Parker@lakecountyca.gov>; Yuliya Osetrova <Yuliya.Osetrova@lakecountyca.gov>; Moke Simon <Moke.Simon@lakecountyca.gov>
Subject: Request for Review: UP 20-39; IS 20-49; EA 20-51

Good morning,

Please review the following documents for commenting no later than June 1, 2020. Have a great day!

Best,

Sateur Ham
County of Lake
Assistant Planner
255 North Forbes Street
Lakeport, CA 95453
Phone: 707-263-2221 ext 37102
E-mail: Sateur.ham@lakecountyca.gov

Sateur Ham

From: Fried, Janae@Waterboards <Janae.Fried@Waterboards.ca.gov>
Sent: Monday, May 11, 2020 1:54 PM
To: Sateur Ham
Subject: Re: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Thank you Sateur, I appreciate it all of that information 😊

We are currently undergoing a reduced in-office presence from implications due to COVID19. But all efforts are made to reply as quickly as possible.

Janae Fried
Engineering Geologist
Central Valley Regional Water Quality Control Board, Region 5R
Cannabis Permitting Unit
364 Knollcrest Drive, Suite 205
Redding, CA 96002
Janae.Fried@Waterboards.ca.gov
530-224-3291 (Office number - will check voicemail every morning while telecommuting)

From: Sateur Ham <Sateur.Ham@lakecountyca.gov>
Sent: Monday, May 11, 2020 12:21 PM
To: Fried, Janae@Waterboards <Janae.Fried@Waterboards.ca.gov>
Subject: RE: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

EXTERNAL:

Good morning Janae,

Please see the responses to your questions below. 😊

From: Fried, Janae@Waterboards [mailto:Janae.Fried@Waterboards.ca.gov]
Sent: Monday, May 11, 2020 10:31 AM
To: Sateur Ham <Sateur.Ham@lakecountyca.gov>
Subject: [EXTERNAL]Re: Request for Review: UP 20-39; IS 20-49; EA 20-51

Good morning Sateur,

This site has applied for coverage with the Water Board, but has not yet paid their application fee and therefore not yet permitted.

I've had some other questions I wanted to ask you come up:

1. Were you ever able to look into the clean-up at 10455 Sky High Ridge Road? You were going to send me anything you could find for this site.