


Traffic Study
For
WeGrow Farms
APN 013-060-40
16750 Herrington Rd
Lower Lake, Lake County, California



WeGrow Traffic Study Table of Contents

1.0 Introduction.....	Pg 1
1.1 Project Access.....	Pg 1
1.2 Proposed Operations.....	Pg 2
2.0 Existing Conditions.....	Pg 3
2.1 Zoning.....	Pg 3
2.2 Existing Road and Traffic Patterns.....	Pg 3
2.3 Roadway Geometry.....	Pg 3
2.4 Accident Data.....	Pg 3
2.5 Traffic Counts.....	Pg 4
3.0 Conclusion	

List of Figures

Figure 1.....	Pg 1
Figure 2.....	Pg 3

List of Exhibits

Exhibit A – WeGrow Management Plan
Exhibit B – Roadway Photographs


1.0 Introduction

WeGrow is seeking a major use permit to obtain fifteen A-Type 3B “Mixed-Light” Licenses, an A Type 1C Specialty Cottage License and a Type 13 Self-Transport Distribution License from the County of Lake Community Development Department to allow a total of 332,160 s.f. of commercial cannabis canopy area, with a total of 387,600 s.f. of cultivation area at 16750 Herrington Rd, Middletown CA on Lake County APN 013-060-40.

1.1 Project Access

The Project Property is currently accessed by a private gravel driveway off Herrington Road, which is accessed from Tinilyn Rd (*Figure 1*).

Figure 1



The existing access driveway on the property leads to the center of the property where the cultivation area is proposed. At minimum the driveway will be 20 ft wide with 14 ft of unobstructed horizontal clearance and 15 feet of unobstructed vertical clearance. The access driveway will have 6-inch gravel added to the entire length of it and have 31 parking stalls (two ADA) as well as hammerhead turnaround in front of the cultivation area that will be 20' wide and 60' in length. A gate will be installed with an entrance of at least 2 feet wider than the width of the traffic lane with a minimum of 14 feet unobstructed horizontal clearance and 15 feet on unobstructed vertical

clearance. The access gate will be located at least 30 feet from the main shared access road and property line. The gate will be locked outside of core operating/business hours (8am to 6pm) and whenever WeGrow personnel are not present. The gate will be secured with a heavy-duty chain, commercial grade padlock and a Knox Box to allow 24/7 access for emergency services.

1.2 Proposed Operations

Proposed Operations are described in detail in *Exhibit A “We Grow Property Management Plan”* and a summary table from that report is included below:

Type of Business: *Commercial Cannabis Cultivation*

Product or service provided: *Cannabis*

Hours of Operation: *8am to 6pm*

Number of shifts: *2 shifts, 3 shifts at peak. Employees are needed only at certain times of the cultivation season.*

Number of employees per shift: *Roughly 20 employees are estimated.*

Number of deliveries per day: *Max 1*

Number of pick-ups per day: *Max 1*

Lot Size: *309 acres*

Number and type of company vehicles: *3, likely pickup trucks*

Type of loading facilities: *There will be a designated open loading zone in the front entrance of the cultivation site/ processing facility.*

Floor area of existing structures: *Existing Ag building on site*

Proposed building floor area: *thirty-two 90' x 125' greenhouses, t90' x 125' immature plant greenhouses, four 50' x 100' processing facilities, two 200 s.f. storage sheds. Total Proposed = 387,600 s.f.*

Number of parking spaces: *31 parking (two ADA) parking spots proposed*

Number of floors: *1*

Additional Relevant Information: *No structures will be built until final approval.*

2.0 Existing Conditions

2.1 Zoning

The existing zoning and General Plan designations are Rural Residential (RR) as depicted in the Lake County Parcel Viewer (*Figure 2*) and defined in Lake County Zoning Ordinance Article 8.

Figure 2



2.2 Existing Road and Traffic Patterns

The proposed development at will be accessed from Tinilyn Rd, which will be accessed from Spruce Grove Rd. The roads within this subdivision meet Lake County Standards except for Herrington Rd, which is only a driveway into the property.

2.3 Road Geometry

The roads within the subdivision meet Lake County standards with all slopes under 15% and all roadway widths are greater than 20 feet, up to 32'-6". For Photos of the roads see *Exhibit B*.

2.4 Accident Data

The Engineer has contacted both Lake County and the California Highway Patrol for accident data over the last 5 years for the roads within the Subdivision and Tinilyn Rd and Spruce Grove Rd. Lake County has stated that there have been no accidents in the subdivision within the last 5 years. At the time of writing this report the California Highway Patrol has not yet replied and an addendum to this report will be issued when that occurs.

2.5 Traffic Counts

In accordance with *Exhibit A WeGrow Management Plan* the number of daily trips when the development is in full operation is 40 per day, including one delivery and one pick up trip per day.

The existing subdivision consists of 29 single family lots that are not fully developed yet. Under full development the estimated average daily trips (AADT) for the subdivision traffic counts will be 10 trips per day per unit and 1 per peak hour in accordance with *ITE Trip Generation Report, 10th Edition*. With 29 single family lots the subdivision will produce an estimated total of 290 trips per day with 29 trips during peak hour.

Based upon the *Highway Capacity Manual 6th Edition* a two lane local street, such as found within the subdivision can handle an AADT of 1,000 trips per day.

3.0 Conclusion

The existing local road conditions can easily handle a total traffic count of 336 vehicles per day and no additional improvements or recommendations will be made.

Exhibit A

WeGrow Management Plan

WE GROW

PROPERTY MANAGEMENT PLAN

Project Location

16750 Herrington Rd.
Middletown, CA 95457

Project Parcels

Lake County APN's
Cultivation/ Project Parcel: 013-060-40
Collocation/Clustering parcels: 013-014-03 & 11

Project Manager:

Zarina Otchkova

July 7th, 2020

TABLE OF CONTENTS

Project Description	2-5
Supplemental Data for Initial Study	6-12
Planting Schedule.....	13
Air Quality	14-16
Grounds.....	17-18
Grading and Erosion Control BMP's.....	19-20
Security	21-23
Stormwater Management.....	24-26
Water Use.....	27-29

Project Description

WeGrow is seeking a major use permit to obtain fifteen A-Type 3B “Mixed-Light” Licenses, an A Type 1C Specialty Cottage License and a Type 13 Self-Transport Distribution License from the County of Lake Community Development Department to allow a total of 332,160 s.f. of commercial cannabis canopy area, with a total of 387,600 s.f. of cultivation area at 1670 Herrington Rd, Middletown CA on Lake County APN 013-060-40. This project is being proposed with 2 additional contiguous parcels, APNs 013-014-03 & 013-014-11 in order to allow collocation/clustering of permits. No part of the 2 additional properties will be disturbed with the proposed project. Any mention of the project parcel or project property beyond this point will only describe APN 013-060-40. The proposed cultivation method is via an above grade organic soil mixture in hardware cloth planting beds with drip irrigation systems. The greenhouses will be composed of galvanized steel frame structures with 6 mil polyethylene film coverings and polycarbonate covered end walls and have a maximum of 25 watts per square foot. The Proposed ancillary facilities include thirty two 90’ x 125’ greenhouses, two 90’ x 125’ immature plant greenhouses, four 50’ x 100’ processing facilities, two 200 s.f. storage sheds, and five 2,500-gallon water storage tanks (one steel or fiber glass for fire suppression), please see Site Plan for details. Agricultural chemicals associated with cannabis cultivation (fertilizers, pesticides, and petroleum products) will be stored within the secure proposed 200 ft² storage area. The proposed processing buildings will contain cannabis processing activities such as drying, trimming, curing, and packaging. The nearest offsite residence is over 350 feet away from the proposed cultivation area. All areas of the proposed project will be fully out of view from all public view due to the dense vegetation and slope of the location.

The current owner of the property is Zarina Otchkova and Ms. Otchkova is also the project manager. The total acreage of the all of the parcels is 309.06 acres (154.02 + 103.3 + 51.74) and the parcel is split zoned RL/RR-WW; Rural Land/Rural Residential - Waterway. The parcel is located roughly 1.5 miles west of the intersection of Highway 29 and Spruce Grove Rd in Hidden Valley Lake CA. The parcel lies within the 8-digit HU (Sub basin): Kelsey Creek-Clear Lake, and Crazy Creek- Putah Creek Watershed (HUC10). There is an unnamed perennial Class III watercourse indicated on the NHD map layer utilized by California resource agencies via CNDDDB and the Federal NWI map layer, which flows across the south eastern corner of the Project property. The Biological Report also identified a creek and a potential wetland on the northeastern corner of the parcel. The cannabis cultivation area will be setback a minimum of 150 feet from the top of the bank of any bodies of water. There are no other surface water bodies on the Project property. There will be no surface water diversions or water crossings with this project.

WeGrow plans to be fully organic with their supplements of both dry and liquid fertilizers. The proposed dry fertilizers include dry worm castings as well as Chicken and Bat Guano. As for liquid fertilizers most of it will be coming from MaxSea and organic compost. The pesticides that will be used for this cultivation project include neem oil and capsaicin, both at limited quantities during the growing months and only used when necessary. All of the fertilizers, nutrients, and pesticides will only be purchased and delivered to the property as needed. They will be stored separately in the secure storage shed, in their original containers and used as

directed by the manufacturer. All pesticides/fertilizers will be mixed/prepared on an impermeable surface with secondary containment, at least 150 feet from surface water bodies. Empty containers will be disposed of by placing them in a separate seal tight bin with a fitted lid and disposed of at the local solid waste facility within the county. At no time will fertilizers/nutrients be applied at a rate greater than 319 pounds of nitrogen per acre per year (requirement of the State Water Resource Control Board's Cannabis General Order). Water soluble fertilizers/nutrients will be delivered via the drip and micro-spray irrigation system(s) of the proposed cultivation operation to promote optimal plant growth and flower formation while using as little product as necessary. Petroleum products will be stored year-round in State of California-approved containers with secondary containment and separate from pesticides and fertilizers, within the processing facilities.

The proposed cultivation operation will utilize drip irrigation systems, to conserve water resources. The well in the center of the property is directly next to the proposed cultivation area. Since the well, storage tanks and cultivation area all within feet of each other above ground water lines will be used which will be a combination of PVC piping and black poly tubing. Water use is projected to be approximately 4,713,410 gallons per year (please see Water Use Section for methodology). The cultivation area is nearly completely flat with little to no slope, meaning rainwater runoff will not be a huge concern. Straw wattles are proposed around southeastern portion of the cultivation area to filter potential sediment from stormwater as it moves on to the property's seasonal drainages to the east. The natural existing vegetated buffer will be maintained as needed between all project areas and waterways on the property.

A Biological Assessment for the property was completed on March 1, 2020 prepared Pinecrest Environmental Consulting Inc., 5627 Telegraph Avenue Suite 420, Oakland, California 94609. The results of the Biological Assessment are described below, however for the complete results please see the attached report.

- No special status plant species were observed, and no impacts are expected to occur to any based-on lack of sighting and lack of suitable habitat at the cultivation area.
- No special status animal species were observed, and no impacts are expected to occur to any. There are several wetlands on the eastern portion of the parcel that may be suitable for sensitive frog species and should not be disturbed.
- No impacts are predicted for sediment discharge to watercourses or wetlands due to the absence of the features near the cultivation area.
- No impacts are predicted for habitat conservation or with local ordinances and no further mitigations are required.

A Cultural Resource Evaluation for the parcel was completed on February 28, 2020 prepared by Dr. John Parker, RPA. No significant historic/prehistoric sites were discovered during the field inspection. Based on the field evaluation by Dr. Parker, it was recommended that the proposed project be approved as planned. Please see attached study for full results and

recommendations. WeGrow is aware that if any archaeological, paleontological, or cultural materials be discovered during site development, all activity shall be halted in the vicinity of the find(s), the local overseeing tribe shall be notified and a qualified archeologists retained to evaluate the find(s) and recommend mitigation procedures, if necessary, subject to the approval of the Community Development Director. The applicant shall halt all work and immediately contact the Lake County Sheriff's Department and the Community Development Department if any human remains are encountered. All human remains will be treated in accordance with Public Resources Code Section 5097.98.

WeGrow's site will require a high amount of electricity as they will be cultivating 332,160 s.f. of mixed light in greenhouses with a maximum of 25 watts per square foot. All electricity needed for the project will be supplied from PG&E through the existing connection but will require an electrical upgrade. The proposed project is proposing a backup generator to be used in emergency situations when electricity cannot be supplied by PG&E. The project does not propose the storage or use of any hazardous materials. All organic waste will be placed in the designated composting area within the cultivation area. All solid waste will be stored in bins with secure fitting lids until being disposed of at a Lake County Integrated Waste Management facility, at least once a week during the cultivation season. The closest Lake County Integrated Waste Management facility to the proposed cultivation operation is the Eastlake Landfill.

At this time WeGrow is currently being operated and managed by Zarina Otchkova, who is also the property owner. Ms. Otchkova does not currently have employees, but all future employees will undergo a background check by the Lake County Sheriff's Department before starting employment and be a United States citizen or eligible for employment within the US. The projects core business hours of operation will take place between 8am-6pm with deliveries and pickups restricted to 9am-7pm Monday through Saturday and Sunday from 12pm-5pm. The Community Liaison/Emergency Contact is Ms. Otchkova, who will be available to contact 24 hours a day, seven days a week, including holidays.

The Project Property is currently accessed by a private gravel driveway off Herington Road. The existing access driveway on the property leads to the center of the property where the cultivation area is proposed. At minimum the driveway will be 20 ft wide with 14 ft of unobstructed horizontal clearance and 15 feet of unobstructed vertical clearance. The access driveway will have 6-inch gravel added to the entire length of it and have 31 parking stalls (two ADA) as well as hammerhead turnaround in front of the cultivation area that will be 20' wide and 60' in length. A gate will be installed with an entrance of at least 2 feet wider than the width of the traffic lane with a minimum of 14 feet unobstructed horizontal clearance and 15 feet on unobstructed vertical clearance. The access gate will be located at least 30 feet from the main shared access road and property line. The gate will be locked outside of core operating/business hours (8am to 6pm) and whenever WeGrow personnel are not present. The gate will be secured with a heavy-duty chain, commercial grade padlock and a Knox Box to allow 24/7 access for emergency services. Only approved WeGrow managerial staff and emergency service providers are able to unlock the gates on the Project Property. The cultivation area fence will be a 6 ft tall chain link fence with a privacy mesh screen and mounted

with security cameras. Posts will be set into the ground at not more than 10-foot intervals, and terminal posts set into concrete footings.

As WeGrow is applying for a Type-13 Self-Transport Distribution license, there will be a dedicated loading zone in the parking lot adjacent to the processing facility. WeGrow will utilize unmarked transport vans to transport product off premises and will be in compliance with all California Cannabis Track and Trace requirements throughout the distribution process.

Supplemental Data for Initial Study

***Please Note-** a CEQA Initial Study in the Lake County template will be provided with the project in a Microsoft Word Document through FileTransfer and can be emailed directly to the project planner.

Description of project and its operational characteristics

Type of Business: *Commercial Cannabis Cultivation*

Product or service provided: *Cannabis*

Hours of Operation: *8am to 6pm*

Number of shifts: *2 shifts, 3 shifts at peak. Employees are needed only at certain times of the cultivation season.*

Number of employees per shift: *Roughly 20 employees are estimated.*

Number of deliveries per day: *Max 1*

Number of pick-ups per day: *Max 1*

Lot Size: *309 acres*

Number and type of company vehicles: *3, likely pickup trucks*

Type of loading facilities: *There will be a designated open loading zone in the front entrance of the cultivation site/ processing facility.*

Floor area of existing structures: *Existing Ag building on site*

Proposed building floor area: *thirty-two 90' x 125' greenhouses, t90' x 125' immature plant greenhouses, four 50' x 100' processing facilities, two 200 s.f. storage sheds. Total Proposed = 387,600 s.f.*

Number of parking spaces: *31 parking (two ADA) parking spots proposed*

Number of floors: *1*

Additional Relevant Information: *No structures will be built until final approval.*

Description of Site Prep/Construction Activities

- **When do you anticipate starting construction?**

November 2020, or earlier depending upon approval of Use Permit.

- **How long will construction take?**

Approximately 7-10 weeks.

- **What days/times will construction occur?**

9am to 6pm, Monday through Saturday.

- **What type of construction equipment will be used?**

Truck, hand tools, general construction equipment.

- **What many truck vehicle trips will be necessary for construction?**

Approximately 130 to 160.

- **Will equipment be idling during construction?**

All equipment will be shut off when not in use.

- **Where will construction equipment be staged/stored?**

On existing driveway/parking lot, in existing garage or work areas

- **Will any trees or vegetation be removed? If yes, please provide type and amounts.**

Low lying dense vegetation and trees will be cleared in accordance with the biological report

- **How much grading is anticipated to occur and where?**

Grading between 2-4 cubic yard per greenhouse will be needed, which will be covered under the building permit application.

- **Will soil be imported or exported to/from the site? If so where and what amount?**

Pre-Soiled pots will need to be imported due to the planting method being in above ground pots. The source nor amount has yet to be determined at this time.

- **Is trenching required? If yes, please provide location, dimensions and cubic yards.**

Additional trenching for this project is not needed as the well is existing.

- **How much water will be used for construction, operation and maintenance? What is the water source?**

Please See water section for methodology and amount of water use

Other questions and information needed for the Initial Study

- **Describe how scenic views or vistas are impacted by the cultivation site.**

Views will not be impacted as the cultivation area cannot be seen from any public view. Due to the topography of the site, and dense vegetation around the cultivation perimeter no portion of the site is visible. The entire cultivation area will be surrounded by a 6' tall wire fence and if needed privacy mesh can be added.

- **What lighting is proposed for the project? Will areas be lit at night?**

Lighting is proposed along the front access gate, parking area, front of the processing facility, and surrounding the cultivation area. All lighting will be fully shielded, downward casting and will not spill over onto other properties or the night sky.

- **Are there existing agricultural uses on-site besides cannabis? Will they be removed?**

At one point in time a few years ago there was, however, there are there are none existing currently

- **Will the project result in the loss of forest land? If so, describe how many acres and what type of trees.**

No Forest Land exists. Trees and low lying shrubs will be removed in accordance of the biological report

- **How will dust, ash, smoke, fumes, or odors generated by the cultivation site be managed?**

Dust: watering or placing seed/mulch/gravel on bare soil.

Odor: carbon filters, ventilation system, maintaining native vegetation surrounding the cultivation area.

- **Are there any water features (drainages, streams, creeks, lakes, rivers, vernal pools, wetlands, etc.) on-site or immediately adjacent to the project? If yes, will any work take place in them or near them?**

There is are 2 Class III Intermittent Watercourse (Unnamed) that on the eastern portion of the property away from the cultivation area. A minimum of 150-foot setbacks will be maintained from all waterways.

- **Will there be a loss of any wetland or streamside vegetation? If yes, describe where, total area, and type of vegetation lost.**

No vegetation will need to be removed near waterways. The project is a minimum of 150 feet from waterways and protects riparian areas.

- **Describe any site or buildings that have archaeological or historical significance.**

There is 1 site of archaeological or historical significance not near the proposed cultivation. Please see attached cultural report for any further details.

- **What are the slopes of the cultivation site?**

The cultivation area is nearly entirely flat, with a maximum of 3% slope in some cultivation areas.

- **Describe the soils found at the site and their potential for landslides, erosion, lateral spreading, subsidence, liquefaction, or collapse.**

This soil is moderately well-drained soil with low frequency of flooding/ponding and a low runoff class.

- **Describe methods to be taken to reduce greenhouse gases.**

Using limited amount of equipment that produce any emissions. Offset any limited emissions by growth of the Cannabis canopy.

- **Will solid waste be produced? If yes, how will it be disposed of?**

Some solid waste will be produced, and will be disposed of at the Lake County Integrated Waste Management facility closest to the proposed project (Eastlake Landfill)

- **Will hazardous waste be produced? If yes, how will it be disposed of?**

No hazardous waste will be produced from this project.

- **How will vegetative waste be managed?**

Vegetative waste will be composted within the designated composting area.

- **How will growth medium waste be managed?**

Will be mixed within the composting area to be recycled and further used in the following grow.

- **Will any material be taken to a landfill? If yes, which one and how much material is anticipated?**

Solid waste materials consistent with regular business waste will be taken to the Eastlake Landfill

- **Describe the existing drainage patterns on the site and how they may be alternated and to what degree as a result of this project.**

Existing drainage pattern flows generally from the northwest to the south east. There will be no alterations specifically proposed and due to the low slope of the land, the proposed project will not significantly change any existing drainage patterns.

- **What Best Management Practices (BMPs) or measures will be implemented in order to prevent erosion and impacts to water quality?**

Native vegetation will be maintained within the 100 ft setbacks from all watercourses that front the watercourses. Straw wattles will also be implemented on the southern & eastern portions of the cultivation area to provide an additional buffer between the creek and the grow site.

- **Is wastewater treatment required for the project? If yes, what is the source?**

Wastewater treatment will be through the building permits for the proposed processing facilities. The restrooms will be ADA standard bathrooms.

- **Describe how this project is consistent with the County's General Plan and Zoning Ordinance.**

The general plan and zoning ordinance sections pertaining to cannabis cultivation were referenced in the making

- **Describe the level and frequency of noise or vibration that will be generated from this project.**

Short-term increases in ambient noise levels to uncomfortable levels could be expected during the construction of the processing facility as well as deliveries. The hours of construction and deliveries will be limited to standard business hours.

- **Describe what measures have been taken to maintain or improve the level of service for the appropriate fire district and CalFire.**

Maintaining the land surrounding the cultivation area can help reduce the fuel load for fires. Clearing of the dense brush vegetation that is extremely flammable

- **How is this site accessed?**

The parcel is currently accessed from private driveway off of Herrington Rd.

- **Describe the amount of traffic the project will generate?**

Daily employee trips are anticipated to be around 40 trips, however the access roadway from highway 29 through Herrington road is well maintained that the additional traffic will not decrease roadway conditions.

- **Are there any road improvements that would be required? If yes, please provide specs (type of materials and dimensions)**

Access will be improved by applying a 6-inch layer of crushed rock/gravel at 20 ft

- **Describe if this project will result in increased traffic hazards to motor vehicles, bicyclists, or pedestrians?**

This project will not result in traffic hazards as it is a private road off of a county-maintained road

- **Are greenhouses or other accessory structures proposed? If yes, what are the dimensions of the structures and materials/colors they will be constructed out of?**

Thirty-two 90' x 125' greenhouses, two 90' x 125' immature plant greenhouses, four 50' x 100' processing facilities, two 200 s.f. storage shed

What sources of energy will be used?

The project will be using on grid energy from PG&E and through the building permit. An electrical upgrade will be required and requested with the greenhouse building permits.

Planting Schedule

Purpose

The Planting Schedule is intended to portray the time of year and how much mature cannabis cultivation will occur at a single given moment in the project's life. Due to the nature of the cannabis licensing processing time being highly variable all the timings estimated below are fully contingent on the processing time of the project. The timing and planting schedules listed below are estimated to the best of the applicant's ability, however, can be changed at the discretion of the Lake County Planning Departments request. Seeing as the timing can change these should be used as a rough time frame.

A. Post Permit Approval Cultivation Phase

Once the Permit is fully approved, WeGrow will apply for the building permits for the thirty-two 90' x 125' greenhouses, two 90' x 125' immature plant greenhouses and the four 50' x 100' processing facilities. Assuming the permit is approved after November 2020, cultivation for the 332,160 s.f. mixed-light area will take place year-round inside of the greenhouses. All growing methods are proposed above ground in hardware cloth smart pots. Please See Sheet 1 of the attached site plans for details of the area of cultivation.

Air Quality Management Plan

Purpose

The Air Quality Management Plan is intended to maintain the high-quality air in Lake County by managing the emissions of activities associated with commercial cannabis as well as manage the off-site drift of odors. Information in this section will be pertinent to meeting the standards of Finding 1 in Section 51.4 (a) of the Lake County Zoning Ordinance, which protects the health, safety, and welfare of the county and its residents. This Air Quality Management Plan will detail the mitigation techniques used to lessen or remove the negative externalities, in relation to odor and air quality, that stem from this commercial cannabis cultivation project. Additionally, sources of emissions and odors will be described, and the agent to contact for any air quality or odor problems will be provided at the conclusion of this section.

A. Project Contact and Community Liaison

The Community Liaison/Emergency Contact for WeGrow's cultivation operation is Ms. Zarina Otchkova. Ms. Otchkova's cell phone number is (602) 809-0909 and the company email address is WeGrowLLC@yahoo.com. Any residences within 1,000 feet of the property boundaries, all of which will receive this contact information directly prior to project implementation. The Community Liaison/Emergency Contact will be responsible for responding to or employing someone to respond to all odor complaints 24 hours a day, seven days a week, including holidays. It is highly encouraged that neighboring residents contact the above Community Liaison/Emergency Contact to resolve any operating problems before reaching out to any County Officials/Staff.

When an odor complaint is received, the Community Liaison/Emergency Contact will immediately take action to eliminate the odor as soon as possible. The first step will be to determine the source of the odor from which the complaint was received (cultivation area, processing facility, or other). Then the best mitigation method will be implemented dependent on the source. Some of the mitigation methods include windscreens, upgrading odor control filtration systems/ventilation system, or even installing additional odor control equipment.

B. Emission Sources

The following sources are anticipated to be the most significant emitters of odor, air pollutants, and particles from the proposed cultivation operation. However, no single source or combined sources are anticipated to be harmful or detrimental to neighboring residences or the community of Lake County.

Gasoline Powered Generator: WeGrow's proposed cannabis cultivation operation will be connected to the electricity through PG&E. The proposed project is proposing a backup generator to be used in emergency situations when electricity cannot be supplied by PG&E.

Gasoline and Diesel-Powered Equipment: The proposed cultivation operation will generate small amounts of carbon dioxide from the operation of small gasoline engines (tillers, weed eaters, lawnmowers, etc.), and from vehicular traffic associated with staff commuting. The generation of carbon dioxide is partially offset by the cultivation of plants, which remove carbon dioxide in the air for photosynthesis.

Fugitive Dust: The proposed cultivation operation may generate fugitive dust emissions through ground-disturbing activities, uncovered compost piles, and vehicle or truck trips on unpaved roads. Fugitive dust will be controlled by wetting soils with a mobile water tank and hose, or by delaying ground disturbing activities until site conditions are not windy, and by eliminating soil stockpiles. Fugitive dust may also be generated temporarily during the construction period. Fugitive dust will be greatly reduced and almost nonexistent once the roadway has been constructed.

Odors: Cannabis cultivation can generate objectionable odors, particularly when the plants are mature/flowering. The ventilation system of the Processing Facility, in which the processing of raw cannabis plant material from the proposed cultivation area occurs, are equipped with carbon filters/air scrubbers to mitigate odors emanating from the building. The greenhouses will also be equipped with filters to further mitigate any odors during peak grow times.

Erosion Control Measures during grading and construction:

- Fugitive dust will be controlled by wetting soils with a mobile water tank and hose, or by delaying ground disturbing activities until site conditions are not windy, and by not storing soil stockpiles. Also, the existing dirt access road will be layered with 6" gravel/crushed rock prior to any construction to mitigate any air quality impacts from dust/debris.

- Hazardous spills:

All purchased products including; chemicals, fertilizers/nutrients, pesticides, petroleum products and sanitation products will all be kept in their manufactures original containers/packaging. All fertilizers/nutrients and pesticides, when not in use, are stored in their manufacturer's original containers/packaging and undercover inside the secure 200 ft² storage area. Petroleum products are stored under cover and in State of California-approved containers with secondary containment and will be within the processing facilities. Sanitation products are stored in their manufacturer's original containers/packaging within a secure cabinet inside the processing facilities. Spill containment and cleanup equipment will be maintained within the secure Processing Facilities as well. All employees will be trained to properly use all equipment according to the manufacturer's procedures. All pouring activities of any products will take place on gravel and within a secondary containment to reduce chances of spill.

- Wildfire prevention will be achieved by maintaining the project grounds. The entire vegetative area surrounding the cultivation area will be well trimmed in order to reduce fire fuel load. The reduction of the dense brush layer to create the cultivation area is greatly reducing the fuel load for fires. All gasoline and diesel-powered equipment will only be used by trained personnel and will be turned off and stored indoors when not in use.
- Noise during grading and construction will be inevitable however all construction will only take place during regular business hours: Monday through Saturday: 9:00 a.m. - 7:00 p.m. and Sunday: 12:00 p.m. - 5:00 p.m. Also, no idling will occur, and all equipment will be turned off when not in use.

C. Mitigation Measures, Monitoring, and Maintenance

To help reduce odor impacts from this project, native vegetation will be maintained around the property to try masking off-site odor drift. The processing facility, which will be holding flowered cannabis plants, will have fans and carbon filters/air scrubbers installed to prevent odors from leaving the premises during all processing phases. The greenhouses will also be equipped with filters to further mitigate any odors during peak grow times.

All air filtration and odor mitigation equipment will be inspected every other month by a WeGrow supervisor to ensure each one is running as efficiently as possible. All carbon filters/air scrubbers will be replaced each quarter. WeGrow supervisory staff will log and maintain accurate records of the replacement/repairs to any odor mitigation system and retain records for at least three years. Annually the managerial staff will review all documentation pertaining to the performance of the equipment to determine if there are any ways to further improve odor mitigations.

At this time there is no proposed demolition or renovations of any building, however if proposed a Certified Asbestos Consultant will be contacted for inspections.

Grounds

Purpose

The Grounds section is intended to ensure that the project property is well maintained in order to prevent the buildup of pests and bacteria, eliminating the chance that potential problems could arise and create health problems or contaminate the environment. Information in this section will be pertinent to meeting the standards of Finding 1 in Section 51.4 (a) of the Lake County Zoning Ordinance, which protects the health, safety, and welfare of the county and its residents. The Grounds section will outline the proper storage and maintenance procedures implemented in conjunction with this project, keeping the premises clean and preventing any potential contamination that could stem from the equipment or substances used.

A. Storage Procedures

All chemicals and substances that are potentially hazardous or could create problems with contamination will be stored a minimum of 150 feet from all designated surface water areas, including the Class III intermittent streams found on the property. All fertilizers/nutrients and pesticides, when not in use, are stored in their manufacturer's original containers/packaging and undercover inside the secure storage area. Petroleum products are stored under cover and in State of California-approved containers with secondary containment and will be stored within the Processing Facilities. Sanitation products are stored in their manufacturer's original containers/packaging within a secure cabinet inside the Processing Facilities. Spill containment and cleanup equipment will also be maintained within the Processing Facility. No effluent is expected to be produced by the proposed cultivation operation. All additional equipment will be stored within the processing facility.

B. Site Maintenance

Trash and recycling receptacles will be provided for anyone on-site to properly dispose of waste. The designated grounds manager will visually sweep the parcel and collect any waste that was not properly disposed of at the end of each day. During this daily property check, all areas of vegetation will be inspected to ensure they are not overgrown, and all access roads and parking areas will be inspected to ensure they are in good order. The necessary equipment to maintain the property to the county ordinance standards will be on hand, stored in the processing facility. Isopropyl alcohol will be kept on-site in the processing facility to ensure proper sanitation after equipment use and to maintain cleanliness within the on-site facilities. The processing facility will include ADA standard restrooms available for all employees.

A. Calfire 4290 and 4291 SRA requirements

All requirements below are proposed to be met with this project and will be confirmed with the required Community Development- Building Division inspection prior to the project being deemed complete.

- Property line setbacks for structures shall be a minimum of 30 feet.
- Per NFPA 1142 water storage tanks for commercial use will be steel or fiberglass (not plastic). At this time the applicant is getting quotes on which material will be cheaper but will only purchase either steel or fiberglass water tanks.
- Roadway for this commercial use shall consist of 20 ft. wide gravel roadway
- All weather roadway surfaces engineered for 75,000 lb. vehicles is the minimum (including bridges). All weather roadway surfaces do not have standing or flowing water that vehicles must travel through.
- The maximum roadway slope for any road is 16%.
- Gate width is 14 foot minimum and Gate setbacks are a minimum of 30 feet from a road.
- Parking allows for a turnaround/hammerhead T, or similar.
- Minimum fuel reduction of 100 feet of defensible space. Additionally, 300 feet of defensible space will be used for any structure that stores hazardous, flammable or dangerous items.

Grading and Erosion Control BMP's

Purpose

The Purpose of this Grading and Erosion Control BMP's are to highlight all the practices that will take place pre and post construction for this project. Then goal of this section is to outline all environmental areas that could be impacted, and how each will be mitigated. The section is broken down into preconstruction, during construction, and post construction that will take place for life of the project. All of the BMP's below are taken from the California Stormwater Quality Association BMP Handbook, The California State Water Quality Control Board BMP's, and the Lake County Water Resources Construction & Development BMPs.

A. Grading

WeGrow does not propose to do any grading prior to the building permits being submitted. Per the biological report, the trees and dense brush layer covering the proposed area will be removed. The imported material will be crushed rock/gravel at a depth of 6 inches to apply to the access roadway in order to meet 4290 regulation standards. After the Use Permit is approved the greenhouses will require between 2-4 cubic yards for each one. The total amount estimated is 150 cubic yards at most and will covered through the building permit which allows for 500 cubic yards.

B. Pre-Construction BMP's

The activities listed below will be implemented prior to any form of the project beginning. Once the project is deemed complete and no further changes/clarifications are needed by the CDD, the applicant will begin to prepare these erosion control measures around the outlined cultivation areas, beginning with the upgrades to the roadway.

- Fugitive dust will be controlled by wetting soils with a mobile water tank and hose, or by delaying ground disturbing activities until site conditions are not windy. Prior to any vehicular traffic related to the cultivation, 6" gravel/crushed rock will be freshly layered onto the roadway to mitigate any air quality impacts from dust/debris.
- Wildfire prevention will be achieved by maintaining the project grounds. The entire vegetative area surrounding the cultivation area will be well trimmed in order to reduce fire fuel load. The removal of the dense shrub layer in the proposed cultivation area will greatly reduce fuel load and is the recommended area for cultivation from the biological report. All gasoline and diesel-powered equipment will only be used by trained personnel and will be turned off and stored indoors when not in use.
- Straw wattles will be placed around the southern and eastern borders of the cultivation area in order to prevent sediment runoff and erosion into natural drainages.

C. During Construction BMP's

The BMP's listed below will be implemented by the management team overseeing the construction.

- Vehicles will not be left staging/idling
- Vehicles will only be parked on the existing roadway/driveway or on areas that will be further developed as part of the project.
- Petroleum products will be stored under cover and in State of California-approved containers within a secondary containment inside of the storage area in order to prevent any spills.
- A native grass seed mixture and certified weed-free straw mulch will be applied to all areas that are exposed due to the construction.
- All solid waste generated from construction will be stored in bins with secure fitting lids until being disposed of at a Lake County Integrated Waste Management facility.

D. Post Construction BMP's (maintained for life of project)

All BMP's listed here will be implemented yearly prior to the November 15th (or the beginning of the raining season).

- In order to protect against hazardous spills:
 - All purchased products including chemicals, fertilizers/nutrients, pesticides, petroleum products and sanitation products will all be kept in their manufactures original containers/packaging. All fertilizers/nutrients and pesticides, when not in use, are stored in their manufacturer's original containers/packaging and undercover inside the secure storage area. Petroleum products are stored under cover and in State of California-approved containers with secondary containment. Sanitation products are stored in their manufacturer's original containers/packaging within a secure cabinet inside the processing facilities. Spill containment and cleanup equipment will be maintained within the secure Processing Facilities as well. All employees will be trained to properly use all equipment according to the manufacturer's procedures. All pouring activities of any products will take place on gravel and within a secondary containment to reduce chances of spill.
- Straw wattles will remain around the southern and eastern portion of the cultivation area and maintained/exchanged as needed each year in order to prevent sediment runoff.
- Native vegetation around the proposed cultivation operation will be maintained as a permanent erosion and sediment control measures. A native grass seed mixture and certified weed-free straw mulch will be applied to all areas of exposed soil.
- All solid waste that cannot be composted, will be stored in bins with secure fitting lids until being disposed of at a Lake County Integrated Waste Management facility, at least once a week during the cultivation season.

Security Management Plan

Purpose

The purpose of this Security Management Plan (SMP) is to minimize criminal activity, provide for safe and secure working environments, protect private property and prevent damage to the environment. This SMP includes a description of the security measures that will be implemented at the proposed cultivation operation to provide adequate security on the premises as approved by the Lake County Sheriff. The three main goals of the security plan are to prevent access to the cultivation site by unauthorized personnel, protect the physical safety of employees, and prevent theft/loss of cannabis products. This SMP is also created to be compliant with emergency regulations for CDFA's CalCannabis Licensing program and the California Department of Public Health for cannabis businesses.

A. Secured Entry and Access

The Project Property is currently accessed by a private gravel driveway off Herington Road. The existing access driveway on the property leads to the center of the property where the cultivation area is proposed. At minimum the driveway will be 20 ft wide with 14 ft of unobstructed horizontal clearance and 15 feet of unobstructed vertical clearance. The access driveway will have 6-inch gravel added to the entire length of it and have 31 parking stalls (two ADA) as well as hammerhead turnaround in front of the cultivation area that will be 20' wide and 60' in length. A gate will be installed with an entrance of at least 2 feet wider than the width of the traffic lane with a minimum of 14 feet unobstructed horizontal clearance and 15 feet on unobstructed vertical clearance. The access gate will be located at least 30 feet from the main shared access road and property line. The gate will be locked outside of core operating/business hours (8am to 6pm) and whenever WeGrow personnel are not present. The gate will be secured with a heavy-duty chain, commercial grade padlock and a Knox Box to allow 24/7 access for emergency services. Only approved WeGrow managerial staff and emergency service providers are able to unlock the gates on the Project Property. The cultivation area fence will be a 6 ft tall chain link fence with a privacy mesh screen and mounted with security cameras. Posts will be set into the ground at not more than 10-foot intervals, and terminal posts set into concrete footings.

A 100-foot defensible space of vegetation will be established around the proposed cultivation operation for fire protection and to provide for clear visibility for security monitoring. A Motion-sensing alarm will be installed at the main gate entrance to alert staff when someone/something has entered onto the premises. Motion-sensing security lights will be installed on all external corners of the proposed cultivation area(s), and at the main entrance to the Project Parcel. All lighting will be fully shielded, downward casting and will not spill over onto other properties or the night sky.

Staff are instructed to notify the WeGrow supervisor on duty immediately if/when suspicious activity is detected. The WeGrow supervisor will investigate the suspicious activity for potential threats, issues, or concerns and will contact the Lake County Sheriff's Office immediately if/when a threat is detected. If the active supervisor on duty is not a manager, the WeGrow managerial staff will be contacted immediately following the contact of the Lake County Sheriff's Office.

If a visitor arrives at the proposed cultivation operation via the main entrance during core operating hours, they will be greeted by a member of the projects staff. The staff member will verify the visitor's identification and escort the visitor to the appropriate area for their visit. No visitors will ever be left unattended.

B. Theft Prevention

All WeGrow staff are required to undergo a criminal background check. Visitors and staff are required to sign-in and sign-out each day and note the areas/tasks in which they worked that day. Staff are required to store personal items in the onsite break room located in the Processing Facilities. WeGrow will adhere to the inventory tracking and recording requirements of the California Cannabis Track-and-Trace (CCTT) system. All staff members will be trained in the procedures of the CCTT system, and any cannabis movement will be reported through the CCTT system. At least two members of the WeGrow managerial staff will be designated to supervise all tasks with high potential for diversion/theft and will document which staff member took part in each of the roles. In the event of any diversion/theft, law enforcement and the appropriate licensing authority will be notified within 24 hours of discovery.

C. Community Liaison and Emergency Contact

The Community Liaison/Emergency Contact for WeGrow's cultivation operation is Ms. Zarina Otchkova. Ms. Otchkova's cell phone number is (602) 809-0909 and the company email address is WeGrowLLC@yahoo.com. The Community Liaison/Emergency Contact will be made available to everyone through multiple sources including this Use Permit, Lake County Officials/Staff and the Lake County Sheriff's Office. WeGrow will encourage neighboring residents to contact the Community Liaison/Emergency Contact to resolve any problems before contacting County Officials. When a complaint is received, the Community Liaison/Emergency Contact will document the complainant, their contact information and the reason for the complaint. The Community Liaison will then take action to resolve the issue as quickly and efficiently as possible and follow up with the complainant to update them on the actions being taken to resolve the issue brought up. A summary of complaints/issues will be provided in WeGrow's Annual Performance Review Report.

D. Video Surveillance

WeGrow uses a closed-circuit television (CCTV) system with a minimum camera resolution of 1080p at a minimum of 30 frames per second to record activity in designated areas. All cameras will include motion sensors are color capable with all exterior cameras being rated I-66 waterproof and all interior cameras being moisture proof. Cameras monitoring the cultivation area will be equipped with thermal technology. The CCTV system feeds into a monitoring and

recording station in the Processing Facilities, in a secured office, where video from the CCTV system is digitally recorded. WeGrow will obtain a video management software that will integrate the cameras of the CCTV system to door alarms and will be equipped with a failure notification system that immediately notifies staff of any interruptions or failures. All cameras of the CCTV system operate continuously 24 hours a day, 7 days a week, recording current date and time on the feed. All recordings are kept a minimum of 90 days, and 7 years for any corresponding reported incidents caught on tape.

Proposed camera placements can be found on the accompanying Security Site Plan. Areas that will be covered by the CCTV system include:

- Entryways to the property, cultivation areas, and Processing facilities,
- Perimeter of the cultivation/canopy areas
- The monitoring, recording station and security room (within the Processing Facility),
- Interior of the Processing Facilities.

Stormwater Management Plan

Purpose

The Stormwater Management Plan is intended to ensure that commercial cannabis projects do not have any negative impacts on the environment through stormwater runoff and any water the project may discharge. Particularly this section mandates necessary stormwater mitigation measures to help reduce the transportation of sediment, prevent erosion problems, and maintain the quality of nearby surface water. This Stormwater Management Plan will detail the mitigation measures proposed to be implemented as well as the monitoring and reporting procedures that will ensure the stormwater mitigation measures are well maintained throughout the life of the project. This section works in accordance with the Erosion and Sediment Control site plan (Sheet 2).

A. Stormwater Management, Erosion and Sediment Control Measures

WeGrow plans to add a thirty-two 90' x 125' greenhouses, two 90' x 125' immature plant greenhouses, four 50' x 100' processing facilities and two 200 s.f. storage shed for a total impervious footprint of 387,600 square feet. This total impervious footprint is roughly 3% of the area of the total parcel size of 309 acres. As mandated by the development standards in Article 27, Section (at), all development, cultivation, pesticides, and fertilizers will be located a minimum of 100 feet from all surface water, which are the unnamed intermittent streams and seasonal wetlands identified on the property. To further reduce any impacts the proposed project will be a minimum of 150 feet away from any surface water. As depicted on the Topographic Map site plan (Sheet 6), the slope of the cultivation area is completely flat, with minimal slopes. Displayed is a minimum of 100 feet of naturally existing vegetated buffer area between project areas and watercourses, which will naturally filter any runoff, removing sediment, nutrients, and pesticides that become mobilized and allow it to infiltrate into the soil/groundwater basin. There are proposed straw wattles surrounding the south and eastern half of the cultivation to prevent sediment movement from the cultivation site to natural surface water. At the county's request or if site characteristics change over the course of time, the applicant will extend straw wattles to further mitigate for sediment movement.

B. Erosion and Sediment Control Measures

WeGrow will maintain the existing natural vegetated buffer around the proposed cultivation operation as needed. Native vegetation around the proposed cultivation operation will be maintained as a permanent erosion and sediment control measures. A native grass seed mixture and certified weed-free straw mulch will be applied to all areas of the exposed soil. Straw wattles will be installed on the south and eastern half of the cultivation areas and maintained throughout the proposed cultivation operation. If areas of concentrated

stormwater runoff begin to develop, additional erosion and sediment control measures will be implemented to protect those areas and their outfalls. WeGrow Site Managers will conduct monthly monitoring inspections to confirm that this operation is in compliance with California Water Code.

- A visual monitoring inspection program will be implemented to check the following, at a minimum frequency of before each rain event.
 - All water conveyance areas and storm water drainage areas to identify any spills, leaks, or uncontrolled pollutant sources.
 - All BMPs to identify whether they have been properly implemented and remain in adequate condition.
 - Any storm water storage or containment areas and ensure the maintenance of adequate freeboard.
- Apply straw mulch to the cultivation area after the conclusion of the growing season to prevent erosion.
- All BPTC Measures will be completed by November 15th.
- If areas of concentrated stormwater runoff begin to develop, additional erosion and sediment control measures will be implemented to protect those areas and their outfalls.

During Construction these BMP's will be implemented and maintained throughout the life of the project:

- Straw wattles will be installed and maintained throughout the entire life of the proposed cultivation operation along the south and eastern borders of the cultivation areas.
- Gravel will be placed along all access roads to reduce exposed dirt.

C. Regulatory Compliance (Stormwater)

WeGrow proposed cannabis cultivation operation is enrolled for coverage under the State Water Resources Control Board's Cannabis General Order (Order No. WQ 2019-0001-DWQ) as a Tier 2 Low Risk Discharger (WDID: 5S17CC424072). A Site Management Plan will be developed for the proposed commercial cannabis cultivation operation and will be reviewed and approved by the Central Valley Water Board's Cannabis Cultivation Waste Discharge Regulatory Program.

Stormwater runoff from the proposed cultivation operation will not discharge into any Lake County maintained drainage system. The project site does not contain any or culverts. The BMP's along with the erosion and sediment control measures, the proposed project will not increase the volume of stormwater discharges from the Project Property onto adjacent properties or flood elevations downstream.

D. Monitoring and Reporting Program

The following are the Monitoring and Reporting Requirements for WeGrow's proposed cannabis cultivation operation from the Cannabis General Order:

- Winterization Measures Implementation
- Tier Status Confirmation
- Third Party Identification (if applicable)
- Nitrogen Application (Monthly and Total Annual)

An Annual Report shall be submitted to the State Water Quality Control Board by March 1st of each year. The Annual Report shall include the following:

1. Facility Status, Site Maintenance Status, and Storm Water Runoff Monitoring.
2. The name and contact information of the person responsible for operation, maintenance, and monitoring.

A letter transmitting the annual report shall accompany each report. The letter shall summarize the number and severity of violations found during the reporting period, and actions taken or planned to correct the violations and prevent future violations. WeGrow will adhere to all monitoring requirements to maintain compliance with the Cannabis General Order, and upon request submit a copy of the Annual Monitoring Report to the County.

E. Cannabis Vegetative Material Waste / Growing Medium Management

Based on the methods of growing done by WeGrow, it is estimated that 3,000 lbs. of vegetative waste will be generated. However, in order to reduce waste and recycle nutrients, all vegetative waste will either be buried in the composting area found within the cultivation area or chipped and stored to be used when soil cover is needed. All solid waste will be stored in bins with secure fitting lids until being disposed of at a Lake County Integrated Waste Management facility, at least once a week during the cultivation season. The closest Lake County Integrated Waste Management facility to the proposed cultivation operation is the Eastlake Landfill.

WeGrow proposes to plant above ground, where additional growing medium will be purchased from Nor-Cal Soil Builders as needed between seasons. Fertilizers as well as recycled vegetative waste that has been composted on site will be used to supplement the existing soil on site.

Water Use Management Plan

Purpose

This Water Use Management Plan is designed to conserve Lake County's water resources and to ensure that the proposed cultivation operation's water use practices are in compliance with applicable County, State, and Federal regulations at all times. This Water Use Management Plan focuses on designing a water efficient delivery system and irrigation practices, and the appropriate and accurate monitoring and reporting of water use practices. The Water Use Plan aims to provide details for all the sources of water on the property, how it will be used and its amount of use.

A. Water Sources and Irrigation

Water is provided to WeGrow's proposed cultivation operation from a groundwater well, located at Latitude 38.818230, Longitude -122.542413 (via google maps imagery). The Well Completion Report is included in the submittal of this management plan. The parcel has undergone multiple APN and address changes due to lot line adjustments, which is why the well reports APN and Address do not match the proposed parcel. However, if by googling the address on the well report, 15454 Spruce Grove Road, the location will match 16750 Herrington Road. The well located at the center of the property will pump water to the five 2,500-gallon (one steel/fiber glass) water tanks. Water will then be delivered to the cannabis plants using highly efficient drip irrigation. Water lines are a combination of PVC piping, black poly tubing, and drip lines. The water storage tanks will be equipped with float valves to prevent overflow and runoff of irrigation water when full. Additionally, safety valves will be equipped to supply lines in case the flow of water needs to be stopped in an emergency situation. A meter compliant with Title 23, Division 3, Chapter 2.7 of the California Code of Regulations will be installed and attached to the water system in order to record continuous data that will be maintained for a 5-year duration minimum. All records will be made available to all interested state and county departments upon request. The monitoring of the well will begin 3 months prior to the use of the well for cultivation.

B. Projected Water Use

Due to the federally illegal status of cannabis, the industry is far behind other crops in water use studies. While few exist, it is probable that the resulting water use numbers from these studies are only accurate to a certain degree, particularly as water use is extremely dependent upon the natural conditions of the location where cultivation is taking place. According to Bauer et al. (2015), a study of water use in Northern California determined cannabis plants used approximately 22.7 liters per day, which translates to roughly 5.99 gallons per day. It has also been documented through CalCannabis's Final Programmatic Environmental Impact Report that outdoor cannabis uses between 25-35 inches per year, based on Hammon et al. (2015). The

PEIR also stated that it is comparable to other crops such as corn, tomatoes, alfalfa, and hops. However, projecting cannabis water use in line with that of tomatoes (20 inches per year) would likely be the absolute minimum as the few water use studies published have been more in line with 25-35 inches per year.

It is almost a certainty that water use will differ between projects, based on soil type, irrigation method, and growing method, among other factors, however, through well monitoring these estimates can be replaced with much more robust numbers in the future. For the purposes of this Water Use Management Plan, the following table below will display water use estimates based on range of probable outcomes starting at 20 inches (a probable best case scenario) up to 35 inches (a probable worst case scenario) of water per year and a total canopy area of 332,160 ft². The average (27.5 inches) being the projected water use total for this project until further data is captured.

Total Project Water Use Estimates*		
Inches	Gallons	Acre Feet
20-25 (best case scenario)	3,770,727 - - - 4,713,410	11.5 - - - 14.4
25-30 (likely scenario)	4,713,410 - - - 5,656,089	14.4 - - - 17.3
30-35 (worst case scenario)	5,656,089 - - - 6,598,772	17.3 - - - 20.2
Estimated Water Use Total for Project*		
<i>25 Inches is estimated</i>	<i>4,713,410*</i>	<i>14.4</i>

Monthly Water Use Estimates											
Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
190,106	190,106	190,106	341,547	492,844	543,325	593,805	593,805	593,805	492,844	291,067	190,106
.59	.59	.59	1.5	1.5	1.65	1.8	1.8	1.8	1.5	1.12	.59

*Estimates based on data from available published studies and are unlikely to reflect the true water use of this project. Actual water use could be lower or higher depending on conditions and methods of irrigation. By utilizing micro drip irrigation, water use is more likely to be lower than the estimated water use total.

Methodology:

Approximately 27,154 gallons of water equals one inch of water per year for one acre (USGS). To achieve the total amount of gallons, the gallons per inch per acre was multiplied by the number of inches. A foot being 12 inches, therefore, one-acre foot of water would be approximately 325,850 gallons of water, with 27.5 inches yielding a value of 746,740 gallons per acre for outdoor. Due to the cultivation being grown inside of greenhouses where the temperature can be regulated more easily, it is anticipated that this project will likely be closer to the 25 inches.

C. Water Conservation

In accordance with the State Water Quality Control Board Cannabis General Order, WeGrow will implement the following BMPs and mitigation techniques to help conserve water over the duration of the project.

- A visual monitoring inspection program will be implemented to check the following, at a minimum frequency of before each rain event.
 - All water conveyance areas and storm water drainage areas to identify any spills, leaks, or uncontrolled pollutant sources.
- Will use drip lines for water delivery to the plants in order to efficiently and effectively irrigate.
- The areas inside the cultivation area without ground cover will be applied with mulch to conserve soil moisture within the grow area.
- An inline water meter will be installed on the dripline supply line as well as the water storage tanks in order to accurately determine where and how much water is being used. Staff will record and log all data in order to be reviewed annually to see the projects water use.

Exhibit B

Roadway Photos

WeGrow Development

Exhibit B Photo Locations



Project Location

Google Earth

© 2021 Google
© 2021 Europa Technologies



1000 ft



Photo #1 End of Jacklyn Dr Looking East



Photo #2 End of Jacklyn Dr Looking East



Photo #3 End of Jacklyn Dr Looking West



Photo #4 Intersection of Tinilyn Rd & Jacklyn Dr Looking North up Tinilyn.



Photo #5 Intersection of Tinilyn Rd & Jacklyn Dr Looking East up Tinilyn.




Photo #6 Intersection of Tinilyn Rd & Jacklyn Dr Looking West up Tinilyn.



Photo #7 Intersection of Jacklyn Dr & Herrington Rd Looking East up Jacklyn Dr.



Photo #8 Intersection of Jacklyn Dr & Herrington Rd Looking West up Jacklyn Dr.



Photo #9 Intersection of Jacklyn Dr & Herrington Rd Looking South up Herrington Rd




Photo #10 Jacklyn Dr. @ Herrington Rd Slope 4.4%, W@idth 29'-6"




Photo #11 Jacklyn Dr Between Francis Ln & Herrington Rd Looking West



Photo #12 Jacklyn Dr Between Francis Ln & Herrington Rd Looking East



Photo #13 Jacklyn Dr. @ Herrington Rd Slope 9.6%, W@idth 26'-6"



Photo #14 Jacklyn Dr. Looking West @ Tinilyn Rd



Photo #15 Jacklyn Dr. Looking North



Photo #16 Jacklyn Dr. Between Herrington Rd & Tinilyn Rd. Slope 11.0%, W@idth 32'-2"



Photo #17 Tinilyn Rd & Nicholas Way Looking North up Nicholas Way.



Photo #18 Tinilyn Rd & Nicholas Way Looking West



Photo #19 Tinilyn Rd & Nicholas Way Looking West



Photo #20 Tinilyn Rd & Nicholas Way Slope 10.8%, W@idth 30'-8"



Photo #21 Tinilyn Rd & Spruce Grove Rd Looking North up Spruce Grove Rd



Photo #22 Tinilyn Rd & Spruce Grove Rd Looking East up Tinilyn Rd




Photo #23 Tinilyn Rd & Spruce Grove Rd Looking South up Spruce Grove Rd



Photo #24 Tinilyn Rd & Spruce Grove Rd Looking North up Spruce Grove Rd



Photo #25 Tinilyn Rd & Spruce Grove Rd Looking South up Spruce Grove Rd



Photo #26 Tinilyn Rd & Spruce Grove Rd Looking East up Tinilyn Rd



Photo #27 Tinilyn Rd Between Spruce Grove Rd and Jacklyn Dr Looking West Towards Tinilyn Rd



Photo #28 Tinilyn Rd Between Spruce Grove Rd and Jacklyn Dr Looking West Towards Tinilyn Rd



Photo #29 Tinilyn Rd Between Spruce Grove Rd and Jacklyn Dr Looking East



Not Used