

COUNTY OF LAKE

Legislation Details (With Text)

File #:	20-558	Version:	1	Name:		
Type:	Action Item			Status:	Agenda Ready	
File created:	6/4/2020			In control:	BOARD OF SUPE	RVISORS
On agenda:	6/9/2020			Final action:		
Title:	Approve to waive 900-hour limit for Extra Help Facilities Maintenance Worker II Lawrence Platz					
Sponsors:	Health Services					
Indexes:						
Code sections	:					
Attachments:						
Date	Ver. Action By			Action		Result
Memorandum						
		_				
Date:	June 9, 2020					
То:	The Honorable Moke Simon, Chair, Lake County Board of Supervisors					
From:	Denise Pomeroy, Health Services Department					
Subject:	Approve to waive 900-hour limit for Extra Help Facilities Maintenance Worker II Lawrence Platz					
Executive S	ummary:					
The Health Services Department requests authorization to waive the 900-hour limit for Lawrence Platz.						
working addideliver testing the increased	tional hours t g samples to d need for cle	to provide su the Public he eaning and s	uppo Heal ^s sanit	rt for COVID- th lab in Santa izing at the He	19 Crisis Respons a Rosa for analysi	-Help). Lawrence has been se, acting as a courier to s, as well as assisting with lding. We feel it would be to 1955.
If not budgeted, Estimated Cost:		•		_ Additional Requ	ested: Future	e Annual Cost:
Consistency with Vision 2028 and/or Fiscal Crisis Management Plan (check all that apply):						
☑ Well-being of I☐ Economic Dev☐ Community Community	Residents velopment	☐ Public Safe☐ Disaster Re☐ Business F	ety ecove	ery D	☐ Infrastructure ☑ County Workforce ☐ Clear Lake	☐ Technology Upgrades☐ Revenue Generation☐ Cost Savings

File #: 20-558, Version: 1

If request for exemption from competitive bid in accordance with County Code Chapter 2 Sec. 2-38, fill in blanks below:

Which exemption is being requested? How long has Agreement been in place? When was purchase last rebid? Reason for request to waive bid?

Recommended Action: Approve to waive 900-hour limit for Extra Help Facilities Maintenance Worker II Lawrence Platz